



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:48 PM UTC

PDB ID : 4EUP / pdb\_00004eup  
Title : The complex between TCR JKF6 and human Class I MHC HLA-A2 presenting the MART-1(27-35)(A27L) peptide  
Authors : Hossain, M.; Baker, B.M.  
Deposited on : 2012-04-25  
Resolution : 2.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	3557 (2.90-2.86)
Clashscore	190562	3801 (2.90-2.86)
Ramachandran outliers	187476	3699 (2.90-2.86)
Sidechain outliers	187428	3702 (2.90-2.86)
RSRZ outliers	180081	3558 (2.90-2.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	275	<div> <div>5%</div> <div>72%</div> <div>22%</div> <div>• •</div> </div>
1	D	275	<div> <div>5%</div> <div>69%</div> <div>24%</div> <div>• •</div> </div>
2	B	100	<div> <div>2%</div> <div>67%</div> <div>33%</div> </div>
2	E	100	<div> <div>80%</div> <div>20%</div> </div>
3	C	9	<div> <div>56%</div> <div>33%</div> <div>11%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	9	<div><div></div><div>67%</div><div>33%</div></div>
4	G	206	<div><div>8%</div><div>73%</div><div>23%</div><div>..</div></div>
4	I	206	<div><div>16%</div><div>73%</div><div>23%</div><div>..</div></div>
5	H	243	<div><div>3%</div><div>74%</div><div>24%</div><div>.</div></div>
5	J	243	<div><div>5%</div><div>68%</div><div>28%</div><div>..</div></div>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13167 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA class I histocompatibility antigen, A-2 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	D	265	Total	C	N	O	S	0	0	0
			2164	1359	394	402	9			
1	A	267	Total	C	N	O	S	0	0	0
			2183	1369	399	406	9			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	100	Total	C	N	O	S	0	0	0
			836	533	141	158	4			
2	B	100	Total	C	N	O	S	0	0	0
			836	533	141	158	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	0	MET	-	initiating methionine	UNP P61769
B	0	MET	-	initiating methionine	UNP P61769

- Molecule 3 is a protein called Melanoma antigen recognized by T-cells 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	9	Total	C	N	O	0	0	0
			60	40	9	11			
3	C	9	Total	C	N	O	0	0	0
			60	40	9	11			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	2	LEU	ALA	engineered mutation	UNP Q16655
C	2	LEU	ALA	engineered mutation	UNP Q16655

- Molecule 4 is a protein called JKF6 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	G	201	Total	C	N	O	S	0	0	0
			1537	955	255	319	8			
4	I	201	Total	C	N	O	S	0	0	0
			1537	955	255	319	8			

- Molecule 5 is a protein called JKF6 beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	H	241	Total	C	N	O	S	0	0	0
			1938	1229	330	370	9			
5	J	240	Total	C	N	O	S	0	0	0
			1930	1225	329	367	9			


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	13	Total	O	0	0
			13	13		
6	E	9	Total	O	0	0
			9	9		
6	A	10	Total	O	0	0
			10	10		
6	B	12	Total	O	0	0
			12	12		
6	G	10	Total	O	0	0
			10	10		
6	I	5	Total	O	0	0
			5	5		
6	H	13	Total	O	0	0
			13	13		
6	J	14	Total	O	0	0
			14	14		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain



- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain



- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin





- Molecule 3: Melanoma antigen recognized by T-cells 1




- Molecule 3: Melanoma antigen recognized by T-cells 1




- Molecule 4: JKF6 alpha chain




- Molecule 4: JKF6 alpha chain




- Molecule 5: JKF6 beta chain





● Molecule 5: JKF6 beta chain





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	127.66Å 53.70Å 150.51Å 90.00° 112.46° 90.00°	Depositor
Resolution (Å)	20.00 – 2.88 20.00 – 2.88	Depositor EDS
% Data completeness (in resolution range)	92.6 (20.00-2.88) 92.2 (20.00-2.88)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.59 (at 2.88Å)	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
R, $R_{free}$	0.235 , 0.295 0.242 , 0.296	Depositor DCC
$R_{free}$ test set	2170 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	45.9	Xtriage
Anisotropy	0.089	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 56.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	13167	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 36.21 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.1727e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.93	0/2247	1.06	9/3049 (0.3%)
1	D	0.92	1/2228 (0.0%)	1.21	14/3024 (0.5%)
2	B	0.92	0/859	1.01	1/1162 (0.1%)
2	E	0.90	0/859	0.96	1/1162 (0.1%)
3	C	1.06	0/59	1.16	1/78 (1.3%)
3	F	1.09	0/59	1.34	1/78 (1.3%)
4	G	0.81	0/1569	1.02	9/2128 (0.4%)
4	I	0.81	0/1569	0.99	7/2128 (0.3%)
5	H	0.73	0/1988	0.90	0/2696
5	J	0.75	0/1980	0.96	7/2685 (0.3%)
All	All	0.85	1/13417 (0.0%)	1.03	50/18190 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	217	TRP	C-N	-8.20	1.21	1.33

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	217	TRP	O-C-N	-18.55	101.41	123.29
1	D	217	TRP	CA-C-N	13.44	145.89	121.70
1	D	217	TRP	C-N-CA	13.44	145.89	121.70
5	J	214	TYR	CB-CA-C	-8.85	99.44	112.09
4	I	97	GLY	N-CA-C	-8.51	93.00	113.18
4	I	9	PRO	CA-N-CD	-8.48	99.63	111.50
5	J	214	TYR	N-CA-C	7.67	123.71	107.67
1	A	273	ARG	N-CA-C	-7.65	94.51	110.80
1	D	126	LEU	N-CA-C	-7.13	100.44	110.50
4	I	76	ARG	N-CA-C	6.74	121.82	112.45
4	I	96	ASP	N-CA-C	6.49	119.88	110.28
1	D	98	MET	CB-CG-SD	-6.41	93.48	112.70
1	D	129	ASP	CB-CA-C	6.31	122.69	110.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	126	LEU	CB-CA-C	6.28	121.09	109.54
1	A	42	SER	N-CA-C	6.15	117.98	111.28
3	F	3	GLY	N-CA-C	6.09	120.20	111.12
1	D	197	HIS	N-CA-C	-6.01	94.17	111.00
1	D	2	SER	N-CA-C	5.91	117.95	110.33
1	D	42	SER	N-CA-C	5.90	118.22	111.02
1	A	211	ALA	N-CA-C	5.83	119.49	112.38
4	G	9	SER	N-CA-C	5.81	119.72	109.96
5	J	87	SER	N-CA-C	5.77	115.47	107.73
3	C	3	GLY	N-CA-C	5.76	121.67	110.73
4	I	8	GLY	C-N-CD	5.75	133.25	120.60
5	J	97	GLY	N-CA-C	5.75	117.92	110.45
4	G	78	ARG	N-CA-C	5.60	118.46	111.24
2	E	21	ASN	N-CA-C	-5.57	100.86	108.38
1	A	249	VAL	N-CA-C	5.53	114.19	107.61
1	D	236	ALA	N-CA-C	-5.44	106.49	113.23
1	D	196	ASP	N-CA-C	5.43	117.70	110.53
5	J	27	MET	CA-C-N	-5.41	115.12	123.17
5	J	27	MET	C-N-CA	-5.41	115.12	123.17
4	G	135	CYS	CA-CB-SG	-5.39	102.00	114.40
1	D	71	SER	N-CA-C	-5.37	105.08	111.03
2	B	47	GLU	N-CA-C	5.36	119.75	112.04
4	G	185	CYS	CA-CB-SG	-5.29	102.23	114.40
4	G	21	SER	N-CA-C	5.25	117.51	107.75
1	A	179	LEU	N-CA-C	5.20	117.03	111.36
1	A	14	ARG	CA-C-N	5.19	126.33	119.84
1	A	14	ARG	C-N-CA	5.19	126.33	119.84
4	G	132	LYS	N-CA-C	5.19	117.40	110.35
1	A	207	SER	N-CA-C	5.18	118.35	111.30
4	G	70	SER	CA-C-N	-5.08	114.52	122.05
4	G	70	SER	C-N-CA	-5.08	114.52	122.05
1	A	218	GLN	N-CA-C	5.08	114.95	108.24
4	I	116	ASP	CA-C-N	-5.05	114.56	119.76
4	I	116	ASP	C-N-CA	-5.05	114.56	119.76
1	D	29	ASP	CB-CA-C	-5.04	110.37	117.23
5	J	181	ALA	N-CA-C	5.04	116.86	111.36
4	G	55	GLY	N-CA-C	5.03	116.64	111.56

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2183	0	2049	62	0
1	D	2164	0	2031	75	0
2	B	836	0	803	34	0
2	E	836	0	803	19	0
3	C	60	0	73	6	0
3	F	60	0	73	4	0
4	G	1537	0	1448	43	0
4	I	1537	0	1451	39	0
5	H	1938	0	1862	60	0
5	J	1930	0	1858	63	0
6	A	10	0	0	0	0
6	B	12	0	0	0	0
6	D	13	0	0	1	0
6	E	9	0	0	0	0
6	G	10	0	0	0	0
6	H	13	0	0	0	0
6	I	5	0	0	0	0
6	J	14	0	0	1	0
All	All	13167	0	12451	366	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (366) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:196:ASP:HB3	1:D:197:HIS:CD2	1.39	1.55
1:D:196:ASP:CB	1:D:197:HIS:HD2	1.47	1.26
4:G:7:GLN:NE2	4:G:105:GLY:H	1.36	1.24
1:D:196:ASP:CB	1:D:197:HIS:CD2	2.21	1.21
1:D:35:ARG:HD3	2:E:53:ASP:OD1	1.42	1.17
5:H:86:THR:HG22	5:H:112:VAL:H	1.07	1.13
4:G:202:SER:HB2	4:G:203:PRO:HD2	1.33	1.07
4:G:7:GLN:NE2	4:G:105:GLY:N	2.04	1.05
2:B:17:ASN:ND2	2:B:72:PRO:HB2	1.74	1.03

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:I:149:ASP:HB3	4:I:152:VAL:HG12	1.46	0.97
1:D:191:HIS:HB3	1:D:274:TRP:CH2	1.99	0.97
2:B:17:ASN:HD22	2:B:72:PRO:HB2	1.32	0.92
5:H:86:THR:CG2	5:H:112:VAL:H	1.80	0.92
5:H:86:THR:HG22	5:H:112:VAL:N	1.85	0.92
2:B:22:PHE:CE2	2:B:69:GLU:HG2	2.04	0.92
1:A:3:HIS:HD2	1:A:29:ASP:OD2	1.55	0.90
2:E:23:LEU:HB2	2:E:70:PHE:CD2	2.08	0.89
4:G:7:GLN:HE21	4:G:105:GLY:N	1.69	0.89
1:A:191:HIS:NE2	1:A:254:GLU:OE2	2.07	0.87
4:I:52:ASN:HD21	4:I:66:LYS:H	1.23	0.87
1:A:194:VAL:O	1:A:195:SER:HB3	1.76	0.86
1:D:254:GLU:HB3	1:D:274:TRP:HD1	1.41	0.85
1:D:18:GLY:O	1:D:19:GLU:C	2.19	0.84
1:D:196:ASP:CG	1:D:197:HIS:HD2	1.84	0.84
1:D:254:GLU:HB3	1:D:274:TRP:CD1	2.12	0.83
4:G:7:GLN:NE2	4:G:105:GLY:CA	2.41	0.83
1:D:189:MET:SD	1:D:201:LEU:HD23	2.18	0.83
1:D:214:THR:HG23	1:D:262:GLN:HB2	1.60	0.81
1:A:197:HIS:HA	1:A:251:SER:HB2	1.62	0.80
5:J:182:LEU:HD23	5:J:184:ASP:H	1.44	0.80
1:D:191:HIS:CB	1:D:274:TRP:CH2	2.64	0.79
4:G:7:GLN:HE21	4:G:105:GLY:CA	1.96	0.79
1:D:35:ARG:HD3	2:E:53:ASP:CG	2.08	0.79
5:H:49:SER:OG	5:H:68:ARG:HD3	1.83	0.78
5:J:182:LEU:HD21	5:J:184:ASP:OD1	1.84	0.77
5:H:7:SER:HB3	5:H:22:GLU:HB2	1.65	0.77
4:I:14:GLU:HB3	4:I:111:ASN:HD21	1.50	0.76
1:D:3:HIS:HD2	1:D:29:ASP:OD2	1.68	0.76
1:D:196:ASP:HB3	1:D:197:HIS:CG	2.16	0.76
4:I:149:ASP:HB3	4:I:152:VAL:CG1	2.17	0.75
4:I:185:ASN:HB2	4:I:188:ASN:HD22	1.52	0.75
4:G:189:PHE:HB3	4:G:194:ILE:HD11	1.69	0.74
1:D:187:THR:HG21	1:D:270:LEU:HD23	1.69	0.74
1:D:35:ARG:CD	2:E:53:ASP:CG	2.61	0.74
5:J:36:ARG:HH12	5:J:85:GLN:HA	1.54	0.73
4:G:67:ASN:O	4:G:70:SER:O	2.05	0.73
4:G:202:SER:HB2	4:G:203:PRO:CD	2.16	0.72
4:I:193:PRO:O	4:I:196:THR:HG22	1.89	0.72
4:I:96:ASP:OD1	5:J:100:VAL:HG22	1.89	0.72
1:A:48:ARG:NH2	2:B:53:ASP:OD1	2.22	0.72

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:3:ARG:HH21	2:B:61:SER:HB3	1.54	0.72
4:G:7:GLN:HE22	4:G:105:GLY:H	1.34	0.71
4:G:149:SER:HB2	4:G:154:VAL:HG13	1.70	0.71
2:B:33:SER:HB3	2:B:62:PHE:CE2	2.25	0.71
4:G:202:SER:CB	4:G:203:PRO:HD2	2.16	0.70
4:G:195:PRO:O	4:G:198:THR:HG22	1.90	0.70
4:I:147:SER:HB3	4:I:154:ILE:HD13	1.73	0.70
1:D:35:ARG:HE	1:D:48:ARG:HD3	1.57	0.69
5:H:25:GLN:NE2	5:H:29:HIS:H	1.89	0.69
1:A:196:ASP:O	1:A:197:HIS:C	2.35	0.68
4:G:189:PHE:O	4:G:194:ILE:HD12	1.93	0.68
5:J:83:THR:HA	5:J:112:VAL:CG2	2.23	0.68
5:H:171:THR:HG23	5:H:191:SER:HB2	1.75	0.68
1:A:206:LEU:HD22	1:A:242:GLN:HG2	1.75	0.68
1:A:194:VAL:O	1:A:195:SER:CB	2.42	0.67
2:E:4:THR:HG22	2:E:86:THR:OG1	1.94	0.67
4:G:61:ARG:NH1	4:G:79:ASP:O	2.28	0.67
5:J:126:LEU:HD22	5:J:238:ALA:HB2	1.74	0.67
4:I:155:THR:HG21	5:J:192:ARG:HH12	1.59	0.67
5:J:182:LEU:HD23	5:J:184:ASP:N	2.10	0.66
1:D:214:THR:CG2	1:D:262:GLN:HB2	2.25	0.65
5:J:83:THR:HA	5:J:112:VAL:HG23	1.78	0.65
1:A:196:ASP:O	1:A:196:ASP:CG	2.38	0.65
5:H:32:MET:SD	5:H:68:ARG:NH1	2.65	0.65
1:A:197:HIS:HA	1:A:251:SER:CB	2.27	0.65
2:B:51:HIS:HA	2:B:65:LEU:O	1.97	0.65
1:D:35:ARG:CD	2:E:53:ASP:OD1	2.30	0.64
4:G:189:PHE:O	4:G:194:ILE:CD1	2.45	0.64
4:I:52:ASN:ND2	4:I:66:LYS:H	1.92	0.64
1:D:97:ARG:HH21	1:D:114:HIS:CE1	2.15	0.64
2:B:17:ASN:ND2	2:B:97:ARG:HH22	1.95	0.64
4:G:81:GLN:HB3	4:G:82:PRO:HD2	1.79	0.64
5:H:57:LYS:HB3	5:H:61:PRO:HG3	1.80	0.64
2:E:4:THR:HG22	2:E:86:THR:CB	2.28	0.63
1:A:197:HIS:CA	1:A:251:SER:HB2	2.29	0.63
1:D:35:ARG:NE	1:D:48:ARG:HH21	1.96	0.63
4:G:112:PRO:HD2	4:G:142:SER:OG	1.98	0.63
1:A:197:HIS:HB3	1:A:251:SER:HB3	1.81	0.62
5:H:126:LEU:HD11	5:H:238:ALA:HB2	1.79	0.62
1:A:162:GLY:O	1:A:163:THR:C	2.41	0.62
2:B:7:ILE:HG12	2:B:82:VAL:HG21	1.81	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:J:228:LYS:HD3	5:J:230:VAL:HG13	1.82	0.62
4:I:135:PHE:HB2	4:I:187:PHE:CE2	2.35	0.61
4:I:14:GLU:HB3	4:I:111:ASN:ND2	2.15	0.61
1:D:210:PRO:HG3	1:D:264:GLU:OE1	2.00	0.61
2:B:17:ASN:CG	2:B:97:ARG:HH22	2.08	0.61
4:G:104:LYS:NZ	5:J:80:SER:OG	2.32	0.61
5:J:219:ALA:HB3	6:J:312:HOH:O	2.02	0.60
5:H:44:ARG:HH11	5:H:60:ILE:CD1	2.15	0.60
3:F:7:LEU:HD11	5:H:95:PHE:CB	2.31	0.60
4:G:189:PHE:HB3	4:G:194:ILE:CD1	2.31	0.60
4:I:122:LEU:HB3	5:J:128:GLU:O	2.02	0.60
5:J:65:SER:HB2	5:J:77:ILE:HB	1.82	0.59
3:C:4:ILE:HA	5:J:98:THR:HB	1.85	0.59
5:J:101:GLU:N	5:J:101:GLU:OE1	2.35	0.59
1:A:206:LEU:CD2	1:A:242:GLN:HG2	2.32	0.59
4:I:9:PRO:HD2	4:I:9:PRO:O	2.01	0.59
1:D:196:ASP:CG	1:D:197:HIS:CD2	2.71	0.59
5:H:60:ILE:O	5:H:60:ILE:HG22	2.01	0.59
5:H:50:TYR:OH	5:H:54:MET:HE3	2.03	0.59
1:D:35:ARG:HD2	2:E:53:ASP:CG	2.27	0.58
2:E:70:PHE:CE1	2:E:72:PRO:HD3	2.37	0.58
5:H:126:LEU:C	5:H:126:LEU:HD12	2.27	0.58
5:J:36:ARG:HG3	5:J:46:ILE:HD11	1.86	0.58
1:A:158:ALA:O	1:A:161:GLU:O	2.21	0.58
5:J:12:VAL:HG22	5:J:151:PRO:HG3	1.86	0.58
4:G:151:ASP:HB3	4:G:154:VAL:HG12	1.84	0.58
1:D:13:SER:HA	1:D:20:PRO:HB3	1.86	0.57
1:D:35:ARG:HE	1:D:48:ARG:HH21	1.52	0.57
1:D:75:ARG:HG2	6:D:303:HOH:O	2.04	0.57
1:D:191:HIS:CB	1:D:274:TRP:CZ2	2.86	0.57
5:J:50:TYR:CZ	5:J:54:MET:HG2	2.40	0.57
5:H:49:SER:OG	5:H:68:ARG:CD	2.52	0.57
1:D:106:ASP:OD2	1:D:108:ARG:N	2.32	0.57
1:A:204:TRP:HH2	2:B:99:MET:C	2.12	0.57
5:J:182:LEU:CD2	5:J:184:ASP:C	2.78	0.57
1:D:97:ARG:HB2	1:D:116:TYR:CD2	2.41	0.56
2:B:17:ASN:HD21	2:B:97:ARG:HH22	1.53	0.56
1:D:254:GLU:CB	1:D:274:TRP:CD1	2.88	0.56
1:D:14:ARG:NH2	1:D:39:ASP:OD1	2.37	0.56
2:E:4:THR:HG22	2:E:86:THR:HB	1.87	0.55
4:I:96:ASP:OD2	5:J:31:ASN:ND2	2.39	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:J:22:GLU:HB3	5:J:73:ARG:NH1	2.21	0.55
1:A:42:SER:O	1:A:44:ARG:HG2	2.06	0.55
1:A:51:TRP:O	1:A:54:GLN:HG2	2.07	0.55
5:H:208:ARG:HG3	5:H:237:GLU:HG2	1.87	0.55
4:G:35:PHE:CE1	5:H:101:GLU:HB3	2.41	0.55
1:D:266:LEU:HD13	1:D:270:LEU:HD13	1.89	0.55
1:D:191:HIS:CG	1:D:274:TRP:CZ2	2.96	0.54
3:F:7:LEU:HD11	5:H:95:PHE:HB3	1.89	0.54
4:I:159:VAL:HG22	4:I:170:ASN:ND2	2.22	0.54
1:A:51:TRP:CE2	1:A:179:LEU:HD11	2.43	0.54
4:G:7:GLN:HE21	4:G:105:GLY:C	2.15	0.54
1:A:22:PHE:CD2	1:A:71:SER:HB3	2.42	0.54
1:A:29:ASP:O	1:A:30:ASP:HB2	2.08	0.54
1:A:3:HIS:CD2	1:A:29:ASP:OD2	2.47	0.53
5:H:36:ARG:HG3	5:H:46:ILE:HD11	1.91	0.53
5:H:44:ARG:HH11	5:H:60:ILE:HD12	1.73	0.53
1:D:196:ASP:HB3	1:D:197:HIS:HD2	0.87	0.53
4:I:185:ASN:HB2	4:I:188:ASN:ND2	2.23	0.53
1:D:260:HIS:ND1	1:D:271:THR:HG22	2.24	0.53
1:A:106:ASP:C	1:A:106:ASP:OD2	2.52	0.53
2:B:27:VAL:O	2:B:63:TYR:HA	2.09	0.52
5:H:22:GLU:HB3	5:H:73:ARG:HH11	1.73	0.52
4:G:81:GLN:HB3	4:G:82:PRO:CD	2.39	0.52
1:D:11:SER:HB3	1:D:95:VAL:HG12	1.90	0.52
1:A:197:HIS:N	1:A:197:HIS:ND1	2.56	0.52
5:H:25:GLN:HG2	5:H:27:MET:H	1.74	0.52
5:J:146:ALA:O	5:J:149:PHE:HE1	1.93	0.52
1:D:196:ASP:OD2	1:D:197:HIS:CD2	2.63	0.52
1:D:20:PRO:HD2	1:D:75:ARG:HG3	1.92	0.52
1:D:273:ARG:O	1:D:274:TRP:HB3	2.10	0.52
2:E:33:SER:HB3	2:E:62:PHE:CE2	2.45	0.52
5:J:134:ILE:HD11	5:J:140:ALA:HB2	1.91	0.52
4:G:151:ASP:HB3	4:G:154:VAL:CG1	2.39	0.51
5:J:119:VAL:O	5:J:226:ARG:NH2	2.42	0.51
1:A:97:ARG:CZ	3:C:6:ILE:HG23	2.40	0.51
4:G:173:SER:OG	5:H:192:ARG:HD3	2.10	0.51
5:J:156:LEU:C	5:J:156:LEU:HD23	2.35	0.51
1:A:216:THR:OG1	1:A:260:HIS:HB2	2.10	0.51
4:G:175:VAL:HG23	5:H:192:ARG:HE	1.74	0.51
5:H:14:ARG:O	5:H:17:GLU:HB2	2.10	0.51
5:J:3:LYS:HD2	5:J:27:MET:HE3	1.93	0.51

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:51:TRP:O	1:D:54:GLN:HG2	2.10	0.51
1:A:51:TRP:CZ2	1:A:179:LEU:HD11	2.45	0.51
4:G:98:ASP:OD2	5:H:100:VAL:HG11	2.11	0.51
4:G:129:SER:O	4:G:130:ALA:C	2.54	0.51
4:G:44:SER:CB	5:H:105:GLY:O	2.58	0.51
2:B:50:GLU:HG3	2:B:51:HIS:H	1.75	0.51
5:J:146:ALA:O	5:J:188:ALA:HA	2.11	0.51
4:G:98:ASP:OD2	5:H:100:VAL:CG1	2.59	0.50
5:J:126:LEU:HD21	5:J:142:LEU:HD23	1.92	0.50
1:A:233:THR:OG1	1:A:243:LYS:HE2	2.11	0.50
5:H:30:GLU:HG3	5:H:96:LEU:HB3	1.92	0.50
5:H:78:LEU:N	5:H:78:LEU:HD12	2.26	0.50
2:B:22:PHE:CD2	2:B:69:GLU:HG2	2.46	0.50
5:H:48:PHE:CZ	5:H:56:GLU:HB2	2.47	0.50
2:B:50:GLU:CG	2:B:51:HIS:H	2.25	0.50
1:A:24:ALA:HB3	1:A:36:PHE:HB3	1.93	0.50
1:A:35:ARG:HD3	1:A:48:ARG:HD3	1.93	0.50
1:A:106:ASP:OD2	1:A:107:TRP:N	2.45	0.50
1:D:95:VAL:HG21	1:D:116:TYR:OH	2.11	0.50
5:H:67:SER:HB3	5:H:75:SER:HB2	1.93	0.50
1:D:194:VAL:O	1:D:195:SER:C	2.55	0.50
1:A:163:THR:CG2	4:I:66:LYS:NZ	2.75	0.49
4:I:64:LEU:HD13	4:I:71:VAL:HG22	1.94	0.49
5:J:169:VAL:HG23	5:J:193:LEU:HD13	1.93	0.49
2:B:33:SER:HB3	2:B:62:PHE:CD2	2.47	0.49
5:J:12:VAL:CG2	5:J:151:PRO:HG3	2.41	0.49
2:E:84:HIS:CE1	2:E:86:THR:HG23	2.47	0.49
1:A:250:PRO:HG2	1:A:253:GLN:HG3	1.95	0.49
1:A:106:ASP:OD2	1:A:108:ARG:N	2.33	0.49
5:H:22:GLU:OE1	5:H:73:ARG:HD2	2.11	0.49
5:H:126:LEU:HD11	5:H:238:ALA:CB	2.43	0.49
5:J:25:GLN:NE2	5:J:29:HIS:H	2.11	0.49
5:J:169:VAL:CG2	5:J:193:LEU:HD13	2.42	0.49
4:G:194:ILE:CG2	4:G:198:THR:HG21	2.43	0.49
1:A:20:PRO:HD2	1:A:75:ARG:HG3	1.93	0.49
5:J:25:GLN:NE2	5:J:27:MET:O	2.46	0.49
2:B:54:LEU:HD11	2:B:62:PHE:CD1	2.48	0.49
5:H:203:PRO:HB3	5:H:242:ALA:HB2	1.95	0.49
4:G:7:GLN:HE22	4:G:105:GLY:N	1.97	0.48
4:I:96:ASP:CG	5:J:100:VAL:HG22	2.38	0.48
3:F:4:ILE:HA	5:H:98:THR:HB	1.94	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:ARG:HA	1:A:115:GLN:O	2.14	0.48
2:B:33:SER:HB3	2:B:62:PHE:CZ	2.48	0.48
5:H:44:ARG:NH1	5:H:60:ILE:HD12	2.28	0.48
2:B:41:LYS:O	2:B:42:ASN:C	2.57	0.48
1:D:106:ASP:OD2	1:D:106:ASP:C	2.57	0.47
1:D:66:LYS:O	1:D:70:HIS:CD2	2.67	0.47
2:B:17:ASN:HD21	2:B:72:PRO:HB2	1.71	0.47
2:B:4:THR:HG22	2:B:86:THR:HB	1.95	0.47
5:J:131:GLU:HA	5:J:134:ILE:HB	1.95	0.47
1:D:51:TRP:CE2	1:D:179:LEU:HD11	2.49	0.47
1:A:35:ARG:HD2	1:A:48:ARG:HH21	1.80	0.47
5:J:223:THR:O	5:J:224:GLN:HB2	2.14	0.47
1:D:18:GLY:O	1:D:19:GLU:O	2.32	0.47
4:I:31:SER:HB2	4:I:91:SER:OG	2.15	0.46
5:H:25:GLN:NE2	5:H:29:HIS:N	2.60	0.46
1:A:204:TRP:CH2	2:B:99:MET:C	2.93	0.46
4:I:160:LEU:HB3	5:J:170:CYS:HB2	1.97	0.46
1:D:196:ASP:HB3	1:D:197:HIS:CA	2.46	0.46
1:D:73:THR:HG22	1:D:74:HIS:HD2	1.80	0.46
1:A:197:HIS:C	1:A:251:SER:HB2	2.41	0.46
1:A:206:LEU:HD22	1:A:242:GLN:CG	2.45	0.46
1:D:6:ARG:NE	1:D:113:TYR:OH	2.43	0.46
5:H:101:GLU:N	5:H:101:GLU:OE1	2.48	0.46
5:H:116:LEU:O	5:H:119:VAL:HG23	2.16	0.46
5:J:126:LEU:HD22	5:J:238:ALA:CB	2.44	0.46
5:J:60:ILE:O	5:J:60:ILE:HG23	2.16	0.46
2:E:59:ASP:OD1	2:E:59:ASP:C	2.58	0.46
2:B:50:GLU:HG3	2:B:51:HIS:N	2.30	0.46
4:G:7:GLN:NE2	4:G:105:GLY:HA2	2.29	0.46
5:J:148:GLY:O	5:J:186:ARG:HD3	2.15	0.46
1:A:227:ASP:O	1:A:247:VAL:HA	2.15	0.46
1:A:197:HIS:CA	1:A:251:SER:CB	2.93	0.45
5:H:44:ARG:NH1	5:H:60:ILE:CD1	2.79	0.45
1:A:196:ASP:O	1:A:198:GLU:N	2.50	0.45
4:I:24:TYR:CE2	4:I:69:GLN:HG2	2.51	0.45
5:J:101:GLU:CD	5:J:101:GLU:H	2.24	0.45
5:J:178:GLU:O	5:J:179:GLN:HG3	2.16	0.45
5:J:182:LEU:HD23	5:J:184:ASP:C	2.41	0.45
4:G:3:LYS:HA	4:G:27:SER:HB2	1.98	0.45
5:J:36:ARG:NH1	5:J:85:GLN:HA	2.28	0.45
5:J:113:VAL:CG2	5:J:118:LYS:HD2	2.45	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:22:PHE:CE2	2:B:69:GLU:CG	2.91	0.45
4:I:24:TYR:CZ	4:I:69:GLN:HA	2.52	0.45
5:H:41:LEU:HD13	5:H:44:ARG:CZ	2.47	0.45
4:I:124:ASP:OD1	4:I:124:ASP:C	2.60	0.45
5:H:32:MET:CG	5:H:68:ARG:HH12	2.29	0.45
5:J:66:VAL:HG12	5:J:76:LEU:HD12	1.99	0.45
1:D:203:CYS:HB2	1:D:217:TRP:CZ2	2.52	0.45
2:E:17:ASN:HA	2:E:72:PRO:O	2.17	0.45
1:A:194:VAL:O	1:A:194:VAL:HG12	2.15	0.45
4:I:147:SER:HB3	4:I:154:ILE:CD1	2.43	0.45
1:A:192:HIS:CE1	2:B:98:ASP:HB3	2.52	0.45
5:H:29:HIS:HD2	5:H:95:PHE:CE1	2.35	0.45
2:B:25:CYS:HB2	2:B:39:LEU:HD21	1.99	0.44
2:B:70:PHE:CZ	2:B:72:PRO:HG3	2.51	0.44
4:G:60:GLY:O	4:G:78:ARG:NH2	2.43	0.44
4:I:35:TYR:HA	4:I:44:GLU:O	2.16	0.44
1:D:244:TRP:HZ3	1:D:246:ALA:HB3	1.81	0.44
2:E:85:VAL:HG12	2:E:85:VAL:O	2.17	0.44
4:G:94:GLY:C	4:G:96:GLY:H	2.26	0.44
1:D:106:ASP:OD2	1:D:108:ARG:HB2	2.17	0.44
1:A:97:ARG:HH21	1:A:114:HIS:CE1	2.36	0.44
1:D:194:VAL:HG22	1:D:198:GLU:HG3	2.00	0.44
5:J:68:ARG:NH2	5:J:71:LYS:O	2.45	0.44
5:H:118:LYS:O	5:H:120:PHE:HD2	2.01	0.44
5:J:95:PHE:O	5:J:100:VAL:HG21	2.18	0.44
1:D:19:GLU:HA	1:D:20:PRO:HD3	1.81	0.43
1:D:207:SER:HA	1:D:240:THR:OG1	2.17	0.43
5:H:22:GLU:HB3	5:H:73:ARG:NH1	2.33	0.43
1:D:81:LEU:O	1:D:85:TYR:HD2	2.02	0.43
2:B:17:ASN:HD22	2:B:72:PRO:C	2.26	0.43
3:C:4:ILE:HA	5:J:98:THR:CB	2.47	0.43
2:E:23:LEU:HB2	2:E:70:PHE:CE2	2.52	0.43
1:A:159:TYR:CE1	3:C:3:GLY:HA3	2.54	0.43
1:A:159:TYR:CD1	3:C:3:GLY:HA3	2.54	0.43
5:H:30:GLU:HG2	5:H:96:LEU:H	1.82	0.43
1:D:204:TRP:CE3	1:D:206:LEU:HD21	2.53	0.43
4:G:121:VAL:HA	4:G:136:LEU:O	2.19	0.43
5:H:113:VAL:CG1	5:H:150:TYR:OH	2.67	0.43
5:J:19:VAL:HB	5:J:78:LEU:HB2	2.00	0.43
1:D:106:ASP:OD2	1:D:107:TRP:N	2.52	0.43
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.54	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:258:THR:CG2	1:A:260:HIS:CE1	3.02	0.43
4:G:189:PHE:O	4:G:194:ILE:HD11	2.18	0.43
5:H:86:THR:HG22	5:H:111:THR:HA	2.01	0.43
1:D:196:ASP:HB3	1:D:197:HIS:HA	1.99	0.43
4:G:134:VAL:HG13	4:G:175:VAL:HG13	2.00	0.43
4:I:12:VAL:HG21	4:I:18:ALA:HB2	2.00	0.43
5:H:113:VAL:HG11	5:H:150:TYR:CE1	2.54	0.43
5:J:55:LYS:HB3	5:J:55:LYS:HE2	1.84	0.43
1:D:254:GLU:CB	1:D:274:TRP:HD1	2.20	0.43
1:A:216:THR:HG1	1:A:260:HIS:HB2	1.83	0.43
4:I:59:ARG:HA	4:I:76:ARG:NH1	2.34	0.43
1:D:14:ARG:HH22	1:D:39:ASP:CG	2.25	0.42
1:A:156:LEU:O	1:A:160:LEU:HG	2.19	0.42
1:A:28:VAL:HG12	1:A:29:ASP:HB2	2.01	0.42
4:G:14:VAL:O	4:G:110:VAL:HA	2.20	0.42
1:D:137:ASP:OD1	1:D:137:ASP:C	2.58	0.42
4:I:34:TRP:HB2	4:I:47:MET:HB3	2.01	0.42
1:D:51:TRP:CZ2	1:D:179:LEU:HD11	2.54	0.42
1:D:255:GLN:HE22	1:D:274:TRP:C	2.27	0.42
5:H:10:TYR:HB3	5:H:153:HIS:ND1	2.34	0.42
5:H:182:LEU:HB2	5:H:185:SER:HB3	2.01	0.42
4:I:9:PRO:O	4:I:9:PRO:CD	2.66	0.42
4:I:127:SER:O	4:I:128:ALA:C	2.62	0.42
2:E:41:LYS:HG3	2:E:78:TYR:CE1	2.55	0.42
1:A:7:TYR:O	1:A:98:MET:HA	2.19	0.42
2:B:55:SER:OG	2:B:56:PHE:N	2.52	0.42
1:D:194:VAL:HG23	1:D:195:SER:N	2.35	0.42
4:I:96:ASP:OD2	5:J:100:VAL:HG21	2.20	0.42
5:H:30:GLU:HG3	5:H:96:LEU:CB	2.49	0.42
4:G:190:ASN:OD1	4:G:190:ASN:C	2.63	0.42
1:A:156:LEU:HD13	3:C:5:GLY:HA3	2.02	0.42
5:J:14:ARG:O	5:J:17:GLU:HB2	2.20	0.42
1:D:98:MET:O	1:D:98:MET:HG3	2.19	0.41
1:A:14:ARG:NH2	1:A:39:ASP:OD1	2.43	0.41
1:A:37:ASP:OD1	1:A:37:ASP:C	2.63	0.41
5:J:169:VAL:HA	5:J:192:ARG:O	2.20	0.41
1:D:254:GLU:HG2	1:D:274:TRP:NE1	2.34	0.41
1:A:209:TYR:CG	1:A:210:PRO:HA	2.55	0.41
4:I:42:SER:HB2	5:J:90:LEU:CD2	2.51	0.41
4:I:124:ASP:OD1	4:I:125:SER:N	2.53	0.41
2:E:23:LEU:O	2:E:67:TYR:HA	2.20	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:J:113:VAL:HG22	5:J:118:LYS:HD2	2.01	0.41
2:B:17:ASN:OD1	2:B:97:ARG:NH2	2.51	0.41
1:A:170:ARG:HH12	4:I:27:ARG:HH22	1.69	0.41
4:G:35:PHE:HB2	4:G:91:ALA:HB3	2.01	0.41
4:I:96:ASP:CG	5:J:100:VAL:CG2	2.94	0.41
5:H:133:GLU:HG2	5:H:139:LYS:O	2.20	0.41
1:A:217:TRP:O	1:A:218:GLN:NE2	2.54	0.41
2:B:17:ASN:ND2	2:B:72:PRO:CB	2.64	0.41
4:I:117:PRO:HB2	4:I:196:THR:HB	2.02	0.41
5:H:25:GLN:O	5:H:72:GLU:HB2	2.20	0.41
1:D:266:LEU:HD22	1:D:270:LEU:HD13	2.02	0.40
3:F:7:LEU:HD11	5:H:95:PHE:HB2	2.03	0.40
5:H:119:VAL:HG13	5:H:150:TYR:O	2.21	0.40
1:D:11:SER:HA	1:D:21:ARG:O	2.21	0.40
1:D:123:TYR:O	1:D:140:ALA:HB1	2.21	0.40
1:D:218:GLN:HE21	1:D:218:GLN:HA	1.87	0.40
1:A:195:SER:OG	1:A:196:ASP:N	2.48	0.40
5:H:44:ARG:HD2	5:H:60:ILE:HD12	2.03	0.40
1:D:68:LYS:O	1:D:69:ALA:C	2.63	0.40
1:D:106:ASP:OD1	1:D:108:ARG:NH1	2.55	0.40
2:E:39:LEU:HD13	2:E:68:THR:HG22	2.03	0.40
2:B:39:LEU:C	2:B:46:ILE:HD12	2.46	0.40
4:I:173:VAL:HG12	5:J:192:ARG:HH22	1.86	0.40
5:J:82:SER:C	5:J:112:VAL:HG21	2.46	0.40
5:J:148:GLY:HA2	5:J:186:ARG:HB3	2.03	0.40
1:A:258:THR:HG21	1:A:260:HIS:CE1	2.57	0.40
5:H:36:ARG:HH21	5:H:38:ASP:CG	2.30	0.40
5:J:61:PRO:HD2	5:J:62:GLU:CD	2.47	0.40
5:J:172:ASP:OD2	5:J:190:SER:OG	2.38	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/275 (96%)	242 (92%)	19 (7%)	2 (1%)	16	41
1	D	261/275 (95%)	245 (94%)	16 (6%)	0	100	100
2	B	98/100 (98%)	94 (96%)	4 (4%)	0	100	100
2	E	98/100 (98%)	94 (96%)	4 (4%)	0	100	100
3	C	7/9 (78%)	5 (71%)	2 (29%)	0	100	100
3	F	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
4	G	199/206 (97%)	179 (90%)	19 (10%)	1 (0%)	24	51
4	I	199/206 (97%)	187 (94%)	12 (6%)	0	100	100
5	H	239/243 (98%)	228 (95%)	10 (4%)	1 (0%)	30	56
5	J	238/243 (98%)	221 (93%)	17 (7%)	0	100	100
All	All	1609/1666 (97%)	1501 (93%)	104 (6%)	4 (0%)	43	70

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	195	SER
5	H	219	ALA
1	A	251	SER
4	G	95	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/231 (97%)	217 (97%)	7 (3%)	35	66
1	D	222/231 (96%)	218 (98%)	4 (2%)	51	78
2	B	95/95 (100%)	94 (99%)	1 (1%)	65	86
2	E	95/95 (100%)	93 (98%)	2 (2%)	47	75
3	C	6/6 (100%)	6 (100%)	0	100	100
3	F	6/6 (100%)	6 (100%)	0	100	100
4	G	174/179 (97%)	168 (97%)	6 (3%)	32	64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	I	174/179 (97%)	168 (97%)	6 (3%)	32	64
5	H	212/214 (99%)	210 (99%)	2 (1%)	70	88
5	J	211/214 (99%)	206 (98%)	5 (2%)	43	73
All	All	1419/1450 (98%)	1386 (98%)	33 (2%)	44	74

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	177	GLU
1	D	187	THR
1	D	194	VAL
1	D	218	GLN
2	E	48	LYS
2	E	92	ILE
1	A	58	GLU
1	A	124	ILE
1	A	156	LEU
1	A	177	GLU
1	A	192	HIS
1	A	197	HIS
1	A	232	GLU
2	B	85	VAL
4	G	47	LEU
4	G	70	SER
4	G	71	GLN
4	G	73	VAL
4	G	128	LYS
4	G	134	VAL
4	I	132	VAL
4	I	134	LEU
4	I	143	ASN
4	I	146	GLN
4	I	155	THR
4	I	192	ILE
5	H	30	GLU
5	H	114	GLU
5	J	12	VAL
5	J	17	GLU
5	J	72	GLU
5	J	112	VAL
5	J	230	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	3	HIS
1	D	54	GLN
1	D	70	HIS
1	D	87	GLN
1	D	197	HIS
1	D	218	GLN
1	D	253	GLN
1	D	255	GLN
2	E	2	GLN
2	E	13	HIS
1	A	3	HIS
1	A	54	GLN
1	A	70	HIS
1	A	87	GLN
1	A	114	HIS
1	A	218	GLN
1	A	242	GLN
1	A	260	HIS
2	B	2	GLN
2	B	13	HIS
2	B	17	ASN
4	G	7	GLN
4	G	39	GLN
4	G	172	ASN
4	I	52	ASN
4	I	69	GLN
4	I	111	ASN
4	I	170	ASN
4	I	188	ASN
4	I	189	ASN
5	H	25	GLN
5	H	37	GLN
5	H	117	ASN
5	H	174	GLN
5	H	183	ASN
5	H	201	GLN
5	J	25	GLN
5	J	201	GLN



### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	267/275 (97%)	-0.08	14 (5%) 33 26	18, 37, 65, 84	5 (1%)
1	D	265/275 (96%)	-0.01	13 (4%) 35 28	15, 35, 73, 91	5 (1%)
2	B	100/100 (100%)	-0.30	2 (2%) 65 57	21, 34, 54, 75	1 (1%)
2	E	100/100 (100%)	-0.34	0 100 100	21, 33, 53, 72	1 (1%)
3	C	9/9 (100%)	-0.38	0 100 100	36, 38, 38, 39	0
3	F	9/9 (100%)	-0.42	0 100 100	29, 31, 33, 34	0
4	G	201/206 (97%)	0.81	16 (7%) 18 15	34, 63, 98, 107	2 (0%)
4	I	201/206 (97%)	0.99	32 (15%) 5 4	34, 65, 119, 144	3 (1%)
5	H	241/243 (99%)	0.37	7 (2%) 53 45	39, 56, 77, 91	0
5	J	240/243 (98%)	0.58	12 (5%) 34 27	40, 61, 93, 115	0
All	All	1633/1666 (98%)	0.30	96 (5%) 28 22	15, 50, 93, 144	17 (1%)

All (96) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	I	201	PRO	6.4
4	G	98	ASP	5.5
5	J	215	GLY	4.8
4	I	96	ASP	4.7
4	I	95	ALA	4.6
1	D	274	TRP	4.3
5	J	183	ASN	4.2
4	I	97	GLY	4.2
4	I	6	ASN	4.2
1	D	272	LEU	4.1
4	I	127	SER	3.9
2	B	17	ASN	3.6
1	A	196	ASP	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	218	GLN	3.5
4	G	193	ILE	3.5
4	G	194	ILE	3.4
1	D	254	GLU	3.4
4	I	189	ASN	3.3
4	I	188	ASN	3.3
1	A	272	LEU	3.2
1	D	264	GLU	3.2
1	A	182	THR	3.2
4	G	53	SER	3.1
4	I	186	ALA	3.1
4	G	129	SER	3.1
4	I	200	SER	3.1
4	I	94	GLY	3.1
1	A	274	TRP	3.0
1	A	137	ASP	3.0
1	A	254	GLU	3.0
4	I	25	SER	2.9
1	A	218	GLN	2.9
1	A	219	ARG	2.9
1	D	182	THR	2.9
4	I	133	CYS	2.9
1	D	17	ARG	2.8
4	G	82	PRO	2.8
4	G	97	ALA	2.8
5	J	219	ALA	2.8
4	I	183	CYS	2.7
4	I	199	PRO	2.7
1	D	98	MET	2.7
1	A	197	HIS	2.6
5	J	223	THR	2.6
4	G	7	GLN	2.6
4	I	99	THR	2.6
4	I	123	ARG	2.6
5	H	223	THR	2.6
4	I	197	PHE	2.6
4	I	102	LYS	2.5
4	G	167	MET	2.5
5	J	170	CYS	2.5
5	J	242	ALA	2.5
4	I	92	GLY	2.5
1	A	264	GLU	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
4	I	151	ASP	2.4
5	J	179	GLN	2.4
5	H	184	ASP	2.4
4	G	27	SER	2.4
1	A	154	GLU	2.4
1	D	251	SER	2.4
2	B	69	GLU	2.3
4	I	191	ILE	2.3
1	D	271	THR	2.3
5	J	16	GLY	2.3
5	H	26	ASP	2.2
4	I	119	VAL	2.2
1	A	161	GLU	2.2
5	J	3	LYS	2.2
5	J	241	ARG	2.2
4	G	80	ALA	2.2
4	I	51	SER	2.2
4	I	198	PHE	2.2
4	I	111	ASN	2.2
4	G	104	LYS	2.2
4	I	93	GLY	2.2
1	D	154	GLU	2.2
1	A	249	VAL	2.1
4	G	128	LYS	2.1
5	H	72	GLU	2.1
4	I	132	VAL	2.1
4	I	130	LYS	2.1
4	I	178	LYS	2.1
4	G	118	ASP	2.1
4	I	129	ASP	2.1
4	G	94	GLY	2.1
5	J	28	ASP	2.1
1	A	242	GLN	2.1
5	H	40	GLY	2.1
4	I	194	GLU	2.1
5	H	3	LYS	2.0
5	J	79	ALA	2.0
1	D	194	VAL	2.0
1	D	197	HIS	2.0
5	H	117	ASN	2.0
4	G	96	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.