



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:02 AM UTC

PDB ID : 2GNU / pdb_00002gnu
Title : The crystallization of reaction center from Rhodobacter sphaeroides occurs via a new route
Authors : Wadsten, P.; Woehri, A.B.; Snijder, A.; Katona, G.; Gardiner, A.T.; Cogdell, R.J.; Neutze, R.; Engstroem, S.
Deposited on : 2006-04-11
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	235	<div> <div style="width: 100%; height: 10px; background-color: red; position: relative;"> % </div> <div style="width: 79%; height: 10px; background-color: green; position: relative;"> 79% </div> <div style="width: 18%; height: 10px; background-color: yellow; position: relative;"> 18% </div> <div style="width: 3%; height: 10px; background-color: orange; position: relative;"> • </div> </div>
2	L	281	<div> <div style="width: 5%; height: 10px; background-color: red; position: relative;"> 5% </div> <div style="width: 79%; height: 10px; background-color: green; position: relative;"> 79% </div> <div style="width: 19%; height: 10px; background-color: yellow; position: relative;"> 19% </div> <div style="width: 3%; height: 10px; background-color: orange; position: relative;"> •• </div> </div>
3	M	300	<div> <div style="width: 2%; height: 10px; background-color: red; position: relative;"> 2% </div> <div style="width: 84%; height: 10px; background-color: green; position: relative;"> 84% </div> <div style="width: 13%; height: 10px; background-color: yellow; position: relative;"> 13% </div> <div style="width: 1%; height: 10px; background-color: orange; position: relative;"> • </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	BCL	L	1282	X	-	-	-
5	BCL	L	1283	X	-	-	-
5	BCL	M	1303	X	-	-	-
9	BPH	M	1284	X	-	-	-
9	BPH	M	1304	X	-	-	-

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 7045 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	235	Total	C	N	O	S	0	0	0
			1787	1143	304	331	9			


- Molecule 2 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	281	Total	C	N	O	S	0	0	0
			2232	1507	355	362	8			

- Molecule 3 is a protein called Reaction center protein M chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	M	300	Total	C	N	O	S	0	0	0
			2400	1602	392	396	10			

- Molecule 4 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: $C_{14}H_{31}NO$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	H	1	Total	C	N	O	0	0
			14	12	1	1		

- Molecule 5 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: C₅₅H₇₄MgN₄O₆).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
5	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
5	M	1	Total	C	Mg	N	O	0	0
			48	37	1	4	6		
5	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 6 is UBIQUINONE-10 (CCD ID: U10) (formula: C₅₉H₉₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	L	1	Total	C	O	0	0
			24	20	4		
6	M	1	Total	C	O	0	0
			45	41	4		


- Molecule 7 is FE (II) ION (CCD ID: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	M	1	Total	Fe	0	0
			1	1		

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	M	1	Total	Cl	0	0
			1	1		

- Molecule 9 is BACTERIOPHEOPHYTIN A (CCD ID: BPH) (formula: C₅₅H₇₆N₄O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	M	1	Total	C	N	O	0	0
			65	55	4	6		
9	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 10 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	M	1	Total	O	P	0	0
			10	8	2		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	H	64	Total 64	O 64	0	0
11	L	43	Total 43	O 43	0	0
11	M	48	Total 48	O 48	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Reaction center protein H chain



• Molecule 2: Reaction center protein L chain



• Molecule 3: Reaction center protein M chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, α , β , γ	100.42Å 100.42Å 235.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.80 – 2.20 19.80 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.6 (19.80-2.20) 99.4 (19.80-2.20)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 2.19Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.200 , 0.246 (Not available) , 0.232	Depositor DCC
R_{free} test set	3129 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	24.2	Xtriage
Anisotropy	0.025	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 52.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7045	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CDL, CL, LDA, U10, BCL, BPH, FE2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	H	1.14	0/1834	1.14	2/2497 (0.1%)
2	L	1.09	2/2320 (0.1%)	1.16	6/3175 (0.2%)
3	M	1.08	1/2492 (0.0%)	1.08	2/3401 (0.1%)
All	All	1.10	3/6646 (0.0%)	1.13	10/9073 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	226	THR	CA-CB	5.41	1.61	1.53
3	M	72	ILE	CA-CB	5.38	1.61	1.54
2	L	207	ARG	CD-NE	-5.16	1.39	1.46

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	207	ARG	NE-CZ-NH2	-6.73	113.14	119.20
1	H	81	GLU	N-CA-C	-6.53	99.99	109.59
2	L	217	ARG	CB-CG-CD	6.13	125.39	111.30
3	M	233	ARG	NE-CZ-NH1	-6.00	115.50	121.50
3	M	136	ARG	NE-CZ-NH2	-5.98	113.81	119.20
1	H	82	ASP	N-CA-CB	5.78	116.82	110.35
2	L	270	PRO	N-CA-C	5.63	121.97	113.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	269	LEU	CA-C-N	5.23	125.53	119.47
2	L	269	LEU	C-N-CA	5.23	125.53	119.47
2	L	132	VAL	N-CA-CB	-5.01	105.44	112.35

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	H	80	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1787	0	1785	43	0
2	L	2232	0	2187	46	0
3	M	2400	0	2310	44	0
4	H	14	0	24	3	0
5	L	132	0	147	10	0
5	M	114	0	111	12	0
6	L	24	0	25	13	0
6	M	45	0	59	3	0
7	M	1	0	0	0	0
8	M	1	0	0	0	0
9	M	130	0	152	18	0
10	M	10	0	0	0	0
11	H	64	0	0	3	0
11	L	43	0	0	3	0
11	M	48	0	0	1	0
All	All	7045	0	6800	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:L:1306:U10:O3	6:L:1306:U10:H4M3	1.42	1.14
1:H:118:ARG:HD3	1:H:120:LEU:HD12	1.28	1.13
2:L:206:MET:O	11:L:1348:HOH:O	1.69	1.08
6:L:1306:U10:O3	6:L:1306:U10:C4M	2.14	0.95
1:H:90:THR:HB	1:H:97:PRO:O	1.65	0.95
3:M:168:MET:HA	3:M:168:MET:CE	2.05	0.86
5:M:1303:BCL:HHC	5:M:1303:BCL:CBB	2.09	0.82
2:L:269:LEU:O	2:L:273:ALA:HB2	1.80	0.80
9:M:1304:BPH:H162	9:M:1304:BPH:H111	1.61	0.80
1:H:118:ARG:CD	1:H:120:LEU:HD12	2.11	0.77
2:L:223:SER:OG	6:L:1306:U10:H4M1	1.85	0.77
3:M:197:PHE:CZ	5:M:1303:BCL:HBB2	2.20	0.76
1:H:194:GLN:CG	3:M:228:ARG:HA	2.16	0.76
3:M:122:MET:HE3	3:M:157:TRP:HE1	1.50	0.76
5:M:1303:BCL:HHC	5:M:1303:BCL:HBB2	1.68	0.75
1:H:67:PRO:HG3	11:L:1348:HOH:O	1.88	0.74
1:H:81:GLU:HA	11:H:1339:HOH:O	1.87	0.73
1:H:40:TYR:OH	4:H:1310:LDA:CM1	2.36	0.72
1:H:194:GLN:HG3	3:M:228:ARG:HA	1.71	0.72
3:M:197:PHE:HZ	5:M:1303:BCL:HBB2	1.55	0.70
2:L:223:SER:OG	6:L:1306:U10:C4M	2.40	0.70
2:L:275:ILE:HG21	3:M:81:ASN:HD21	1.57	0.70
3:M:168:MET:HA	3:M:168:MET:HE3	1.73	0.69
1:H:150:GLY:HA2	1:H:163:LYS:HE2	1.75	0.69
2:L:269:LEU:HG	2:L:271:TRP:CZ2	2.27	0.69
3:M:63:GLY:HA3	9:M:1304:BPH:H5C2	1.75	0.69
1:H:40:TYR:OH	4:H:1310:LDA:HM13	1.93	0.68
3:M:122:MET:CE	3:M:157:TRP:HE1	2.06	0.68
3:M:64:LEU:CD2	9:M:1304:BPH:H121	2.24	0.67
3:M:64:LEU:HD23	9:M:1304:BPH:H102	1.78	0.66
1:H:146:LYS:NZ	1:H:200:SER:O	2.29	0.65
9:M:1284:BPH:HBB3	9:M:1284:BPH:HMB3	1.77	0.65
1:H:148:PRO:HA	1:H:151:LEU:HD12	1.77	0.65
2:L:275:ILE:HG21	3:M:81:ASN:ND2	2.12	0.65
9:M:1304:BPH:H162	9:M:1304:BPH:C11	2.26	0.64
2:L:189:LEU:HD13	9:M:1304:BPH:HMD2	1.79	0.64
1:H:184:LYS:HE3	1:H:184:LYS:HA	1.79	0.63
1:H:82:ASP:N	11:H:1339:HOH:O	2.33	0.62
3:M:168:MET:HA	3:M:168:MET:HE2	1.80	0.62
2:L:211:HIS:HE1	3:M:22:GLU:OE1	1.82	0.61
6:L:1306:U10:H1M3	6:L:1306:U10:C8	2.30	0.61
2:L:264:GLN:C	2:L:266:TRP:H	2.08	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:122:GLU:HB2	1:H:227:LEU:HD21	1.82	0.60
1:H:140:PHE:HA	3:M:13:ARG:O	2.01	0.59
1:H:81:GLU:CA	11:H:1339:HOH:O	2.47	0.59
2:L:248:MET:HE2	5:L:1282:BCL:OBD	2.03	0.58
9:M:1284:BPH:HMB3	9:M:1284:BPH:CBB	2.33	0.58
3:M:3:TYR:HD2	3:M:3:TYR:H	1.51	0.58
6:L:1306:U10:H1M3	6:L:1306:U10:H8	1.86	0.57
1:H:175:MET:HE2	1:H:177:ARG:HG2	1.87	0.57
6:L:1306:U10:H3M2	11:L:1327:HOH:O	2.05	0.57
1:H:197:LYS:HA	3:M:9:GLN:HE22	1.69	0.56
3:M:52:LEU:HD13	3:M:57:VAL:HG23	1.85	0.56
3:M:64:LEU:HD23	9:M:1304:BPH:H121	1.86	0.56
9:M:1304:BPH:HBC2	9:M:1304:BPH:HHD	1.87	0.56
6:L:1306:U10:H4M3	6:L:1306:U10:C3M	2.32	0.56
1:H:184:LYS:HA	1:H:184:LYS:CE	2.36	0.56
1:H:11:ASP:HB3	3:M:301:HIS:HD2	1.71	0.55
2:L:225:GLY:C	6:L:1306:U10:H3M3	2.32	0.55
2:L:277:GLY:O	3:M:87:ARG:NH2	2.39	0.55
5:M:1303:BCL:HHC	5:M:1303:BCL:HBB3	1.87	0.55
2:L:264:GLN:C	2:L:266:TRP:N	2.64	0.55
5:M:1302:BCL:HBB3	5:M:1302:BCL:HMB3	1.87	0.55
1:H:194:GLN:HG3	3:M:228:ARG:CA	2.35	0.54
1:H:40:TYR:OH	4:H:1310:LDA:HM11	2.06	0.54
2:L:217:ARG:HD2	11:M:1318:HOH:O	2.07	0.54
5:M:1302:BCL:OBB	5:M:1302:BCL:HHC	2.08	0.54
1:H:122:GLU:HG3	3:M:236:GLU:HG3	1.90	0.54
1:H:194:GLN:HG2	3:M:228:ARG:HA	1.87	0.53
2:L:101:ALA:O	2:L:105:VAL:HG23	2.08	0.53
3:M:122:MET:HE2	3:M:177:TYR:OH	2.09	0.52
1:H:148:PRO:O	1:H:151:LEU:HB2	2.10	0.52
2:L:14:GLY:O	2:L:109:ARG:HD3	2.08	0.52
2:L:208:THR:H	2:L:211:HIS:CD2	2.27	0.52
3:M:101:TYR:O	3:M:104:SER:HB3	2.10	0.52
1:H:184:LYS:HE3	1:H:184:LYS:CA	2.39	0.52
5:L:1283:BCL:C4A	5:L:1283:BCL:HBA1	2.39	0.51
3:M:229:PHE:HB2	3:M:244:ALA:HB2	1.93	0.51
2:L:193:LEU:HD21	2:L:212:GLU:HB3	1.93	0.51
2:L:231:ARG:HD3	3:M:5:ASN:O	2.10	0.51
5:L:1282:BCL:NC	5:M:1303:BCL:HBB3	2.25	0.51
6:M:1305:U10:H4M2	6:M:1305:U10:O3	2.11	0.51
2:L:213:ASP:OD2	6:L:1306:U10:H4M1	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:87:LEU:HD23	1:H:100:PRO:HA	1.93	0.50
2:L:265:TRP:O	2:L:269:LEU:HD13	2.12	0.50
1:H:201:ASN:OD1	1:H:201:ASN:N	2.44	0.50
2:L:150:ILE:HG23	5:L:1283:BCL:HED1	1.93	0.49
1:H:11:ASP:HB3	3:M:301:HIS:CD2	2.47	0.49
2:L:105:VAL:O	2:L:109:ARG:HG3	2.13	0.49
2:L:208:THR:H	2:L:211:HIS:HD2	1.60	0.49
2:L:269:LEU:O	2:L:273:ALA:CB	2.57	0.49
3:M:87:ARG:HG2	3:M:88:ASP:OD1	2.13	0.48
1:H:194:GLN:HG3	3:M:228:ARG:N	2.28	0.48
3:M:122:MET:HE3	3:M:157:TRP:NE1	2.24	0.48
1:H:194:GLN:H	1:H:194:GLN:CD	2.20	0.48
2:L:264:GLN:O	2:L:266:TRP:N	2.47	0.48
2:L:80:LEU:HD22	2:L:85:LEU:HD13	1.95	0.47
2:L:177:ILE:HG12	5:L:1282:BCL:HMB2	1.96	0.47
2:L:222:TYR:HD2	6:L:1306:U10:H13	1.80	0.47
1:H:90:THR:CB	1:H:97:PRO:O	2.52	0.46
2:L:60:ASN:ND2	2:L:63:LEU:HD23	2.30	0.46
1:H:139:GLY:HA3	3:M:15:PRO:HD3	1.96	0.46
2:L:93:ALA:HA	9:M:1284:BPH:H9C2	1.98	0.46
2:L:229:ILE:HD13	6:L:1306:U10:H8	1.97	0.45
9:M:1284:BPH:NC	9:M:1284:BPH:ND	2.64	0.45
2:L:61:PRO:O	2:L:150:ILE:HD12	2.17	0.45
2:L:185:LEU:HD13	9:M:1304:BPH:ND	2.31	0.45
1:H:11:ASP:CB	3:M:301:HIS:HD2	2.29	0.45
2:L:225:GLY:O	6:L:1306:U10:H3M3	2.16	0.45
5:L:1282:BCL:OBB	5:L:1282:BCL:HHC	2.17	0.45
3:M:156:LEU:HD13	5:M:1303:BCL:H43	1.99	0.45
2:L:218:ASP:OD1	3:M:29:ARG:HD2	2.17	0.45
2:L:231:ARG:HD2	3:M:6:ILE:O	2.18	0.44
5:L:1283:BCL:HBB3	9:M:1284:BPH:H141	1.98	0.44
1:H:153:VAL:HG21	1:H:181:VAL:HG22	1.99	0.44
2:L:207:ARG:N	2:L:207:ARG:HD2	2.31	0.44
2:L:207:ARG:HD2	2:L:207:ARG:HA	1.86	0.44
9:M:1304:BPH:CHD	9:M:1304:BPH:CBC	2.96	0.44
9:M:1284:BPH:HBB3	9:M:1284:BPH:CMB	2.46	0.44
2:L:200:PRO:HB3	2:L:207:ARG:HD3	1.98	0.43
2:L:269:LEU:C	2:L:273:ALA:HB2	2.43	0.43
1:H:168:TRP:HB2	1:H:178:PHE:HB2	2.00	0.43
2:L:78:ALA:H	2:L:87:GLN:HE22	1.67	0.43
3:M:34:PRO:O	3:M:47:LEU:HB2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:M:1304:BPH:HHD	9:M:1304:BPH:CBC	2.49	0.42
6:M:1305:U10:O3	6:M:1305:U10:C4M	2.68	0.42
1:H:177:ARG:CZ	3:M:233:ARG:HD2	2.49	0.42
5:L:1282:BCL:H193	6:M:1305:U10:H252	2.01	0.42
5:L:1282:BCL:H2C	5:M:1303:BCL:H2C	2.02	0.42
3:M:156:LEU:HD12	3:M:277:THR:HG22	2.02	0.42
1:H:58:LEU:HD22	1:H:59:PRO:HD2	2.02	0.42
5:M:1303:BCL:CBB	5:M:1303:BCL:CHC	2.82	0.42
1:H:219:ILE:HD12	1:H:221:SER:O	2.20	0.41
3:M:195:ASN:HD22	3:M:195:ASN:C	2.27	0.41
9:M:1284:BPH:H7C1	9:M:1284:BPH:H112	1.80	0.41
1:H:133:PRO:HB2	1:H:135:LYS:HE3	2.02	0.41
2:L:83:GLY:O	2:L:87:GLN:HG3	2.20	0.41
2:L:79:PRO:O	2:L:80:LEU:C	2.62	0.41
3:M:179:ILE:HG23	5:M:1302:BCL:HED1	2.02	0.41
5:L:1283:BCL:OBB	5:L:1283:BCL:HHC	2.21	0.40
3:M:113:GLY:O	3:M:117:ILE:HG13	2.20	0.40
2:L:232:LEU:O	2:L:236:LEU:HG	2.21	0.40
1:H:60:LYS:CD	1:H:60:LYS:N	2.85	0.40
1:H:199:GLN:OE1	1:H:202:ARG:HD3	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	233/235 (99%)	225 (97%)	8 (3%)	0	100	100
2	L	279/281 (99%)	265 (95%)	13 (5%)	1 (0%)	30	34
3	M	298/300 (99%)	288 (97%)	10 (3%)	0	100	100
All	All	810/816 (99%)	778 (96%)	31 (4%)	1 (0%)	48	57

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	265	TRP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	190/190 (100%)	176 (93%)	14 (7%)	13	14
2	L	220/220 (100%)	202 (92%)	18 (8%)	10	12
3	M	236/236 (100%)	219 (93%)	17 (7%)	13	15
All	All	646/646 (100%)	597 (92%)	49 (8%)	12	14

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	12	LEU
1	H	58	LEU
1	H	73	LEU
1	H	82	ASP
1	H	90	THR
1	H	92	VAL
1	H	123	LEU
1	H	134	MET
1	H	135	LYS
1	H	184	LYS
1	H	202	ARG
1	H	208	LEU
1	H	220	LYS
1	H	231	ASP
2	L	2	LEU
2	L	21	LEU
2	L	36	VAL
2	L	85	LEU
2	L	102	LEU
2	L	126	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	129	LEU
2	L	132	VAL
2	L	158	SER
2	L	189	LEU
2	L	195	LEU
2	L	207	ARG
2	L	216	PHE
2	L	217	ARG
2	L	220	VAL
2	L	235	LEU
2	L	238	LEU
2	L	269	LEU
3	M	2	GLU
3	M	3	TYR
3	M	10	VAL
3	M	26	LEU
3	M	29	ARG
3	M	47	LEU
3	M	52	LEU
3	M	55	LEU
3	M	60	LEU
3	M	62	SER
3	M	94	LEU
3	M	156	LEU
3	M	168	MET
3	M	191	LEU
3	M	216	PHE
3	M	274	VAL
3	M	301	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	87	GLN
2	L	211	HIS
2	L	258	GLN
3	M	9	GLN
3	M	195	ASN
3	M	300	ASN
3	M	301	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
10	CDL	M	1309	-	8,8,99	1.81	3 (37%)	12,12,111	1.55	3 (25%)
5	BCL	M	1303	3	69,74,74	2.02	9 (13%)	79,115,115	2.05	26 (32%)
9	BPH	M	1284	-	59,70,70	1.54	6 (10%)	59,101,101	2.67	22 (37%)
9	BPH	M	1304	-	59,70,70	1.70	9 (15%)	59,101,101	2.62	19 (32%)
4	LDA	H	1310	-	11,13,15	2.17	2 (18%)	12,15,17	0.64	0
5	BCL	L	1283	2	69,74,74	1.82	11 (15%)	79,115,115	1.97	28 (35%)
5	BCL	M	1302	3	51,56,74	1.75	10 (19%)	57,93,115	2.19	21 (36%)
6	U10	L	1306	-	24,24,63	2.60	7 (29%)	30,32,79	2.74	15 (50%)
6	U10	M	1305	-	45,45,63	2.65	11 (24%)	55,57,79	1.84	15 (27%)
5	BCL	L	1282	2	69,74,74	1.51	9 (13%)	79,115,115	1.92	24 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BCL	M	1303	3	2/2/21/25	4/41/137/137	-
9	BPH	M	1284	-	1/1/18/22	11/37/105/105	0/5/6/6
9	BPH	M	1304	-	1/1/18/22	15/37/105/105	0/5/6/6
4	LDA	H	1310	-	-	4/11/11/13	-
5	BCL	L	1283	2	2/2/21/25	11/41/137/137	-
5	BCL	M	1302	3	-	1/20/116/137	-
6	U10	L	1306	-	-	6/17/41/87	0/1/1/1
6	U10	M	1305	-	-	10/42/66/87	0/1/1/1
5	BCL	L	1282	2	2/2/21/25	12/41/137/137	-

All (77) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	M	1303	BCL	MG-NB	8.67	2.23	2.05
6	M	1305	U10	C28-C29	7.13	1.49	1.33
5	M	1303	BCL	MG-NA	6.86	2.22	2.06
9	M	1304	BPH	C4D-CHA	6.77	1.49	1.39
6	M	1305	U10	C33-C34	6.76	1.48	1.33
6	L	1306	U10	C13-C14	6.39	1.47	1.33
4	H	1310	LDA	O1-N1	-6.24	1.26	1.42
5	L	1283	BCL	MG-NC	-6.21	1.91	2.06
6	M	1305	U10	C18-C19	6.12	1.47	1.33
6	M	1305	U10	C8-C9	6.04	1.47	1.33
5	M	1303	BCL	MG-ND	-6.01	1.93	2.05
6	L	1306	U10	C8-C9	5.90	1.46	1.33
6	M	1305	U10	C23-C24	5.75	1.46	1.33
6	M	1305	U10	C13-C14	5.71	1.46	1.33
6	L	1306	U10	O4-C4	-5.64	1.23	1.36
5	L	1283	BCL	MG-NA	5.35	2.19	2.06
5	M	1302	BCL	O2A-CGA	5.32	1.48	1.33
5	L	1282	BCL	MG-NA	5.10	2.18	2.06
9	M	1304	BPH	O2D-CGD	4.92	1.45	1.33
9	M	1284	BPH	OBD-CAD	4.88	1.28	1.22
5	M	1303	BCL	O2D-CGD	4.84	1.45	1.33
9	M	1284	BPH	O2D-CGD	4.82	1.45	1.33
9	M	1284	BPH	C4D-CHA	4.72	1.46	1.39
9	M	1304	BPH	C3D-C4D	-4.67	1.34	1.41
5	L	1283	BCL	O2A-CGA	4.66	1.46	1.33
5	M	1302	BCL	O2D-CGD	4.63	1.44	1.33
5	L	1282	BCL	C3D-C4D	-4.63	1.33	1.44
6	M	1305	U10	O4-C4	-4.60	1.25	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	M	1302	BCL	C3D-C4D	-4.60	1.33	1.44
5	L	1282	BCL	O2D-CGD	4.58	1.44	1.33
9	M	1304	BPH	OBD-CAD	4.50	1.28	1.22
9	M	1284	BPH	C3A-C2A	-4.28	1.51	1.54
5	M	1303	BCL	C3D-C4D	-4.28	1.34	1.44
5	L	1283	BCL	OBD-CAD	4.24	1.29	1.22
5	L	1283	BCL	C3D-C4D	-4.22	1.34	1.44
5	L	1283	BCL	O2D-CGD	4.13	1.43	1.33
6	L	1306	U10	O3-C3	-4.12	1.26	1.36
5	M	1303	BCL	O2A-CGA	4.06	1.45	1.33
5	L	1283	BCL	MG-NB	3.94	2.13	2.05
9	M	1284	BPH	O2A-CGA	3.84	1.44	1.33
6	M	1305	U10	O3-C3	-3.74	1.27	1.36
9	M	1284	BPH	C3D-C4D	-3.40	1.36	1.41
5	M	1302	BCL	OBD-CAD	3.34	1.28	1.22
4	H	1310	LDA	C1-N1	-3.32	1.48	1.51
9	M	1304	BPH	O2A-CGA	3.27	1.42	1.33
5	L	1282	BCL	MG-NB	3.23	2.12	2.05
6	M	1305	U10	C6-C1	3.19	1.40	1.35
6	L	1306	U10	C6-C1	3.17	1.40	1.35
5	L	1282	BCL	C4D-CHA	3.12	1.49	1.38
5	L	1282	BCL	O2A-CGA	3.07	1.42	1.33
5	M	1303	BCL	C4D-CHA	3.02	1.48	1.38
5	L	1283	BCL	CAA-C2A	3.01	1.59	1.54
9	M	1304	BPH	C1D-C2D	2.91	1.42	1.39
9	M	1304	BPH	C2C-C3C	-2.82	1.52	1.54
5	L	1283	BCL	C3C-C4C	-2.78	1.48	1.51
5	L	1282	BCL	C3C-C4C	-2.76	1.48	1.51
10	M	1309	CDL	PB2-OB5	2.73	1.62	1.54
5	M	1302	BCL	MG-ND	-2.70	2.00	2.05
9	M	1304	BPH	C3A-C2A	-2.61	1.52	1.54
6	M	1305	U10	C3-C2	-2.50	1.41	1.48
5	M	1303	BCL	C4B-NB	-2.48	1.34	1.37
10	M	1309	CDL	PA1-OA3	-2.45	1.45	1.50
5	M	1302	BCL	C4D-CHA	2.42	1.46	1.38
5	M	1303	BCL	OBD-CAD	2.40	1.26	1.22
5	L	1282	BCL	MG-NC	2.40	2.12	2.06
5	M	1302	BCL	C3C-C4C	-2.36	1.48	1.51
5	L	1283	BCL	C4D-CHA	2.28	1.46	1.38
5	L	1283	BCL	C2A-C1A	-2.28	1.47	1.52
10	M	1309	CDL	PA1-OA4	-2.27	1.48	1.54
9	M	1304	BPH	C1B-C2B	2.25	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	M	1302	BCL	MG-NA	2.17	2.11	2.06
5	L	1282	BCL	C2A-C1A	-2.16	1.47	1.52
5	M	1302	BCL	MG-NC	2.13	2.11	2.06
6	M	1305	U10	C6-C5	-2.13	1.40	1.46
6	L	1306	U10	O5-C5	2.13	1.28	1.23
6	L	1306	U10	C4-C5	-2.06	1.42	1.48
5	M	1302	BCL	C2A-C1A	-2.03	1.47	1.52

All (173) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	M	1284	BPH	C2D-C1D-ND	9.81	116.52	109.43
9	M	1304	BPH	O2D-CGD-CBD	8.35	120.12	110.95
9	M	1284	BPH	C4D-ND-C1D	-7.95	99.35	108.87
9	M	1284	BPH	O2D-CGD-CBD	7.58	119.28	110.95
9	M	1304	BPH	C4D-ND-C1D	-6.90	100.60	108.87
9	M	1304	BPH	C2B-C1B-NB	6.82	114.36	109.43
9	M	1304	BPH	C2D-C1D-ND	6.71	114.28	109.43
9	M	1284	BPH	C2B-C1B-NB	6.27	113.96	109.43
5	L	1282	BCL	CAC-C3C-C4C	-6.14	98.97	112.58
5	L	1283	BCL	O2D-CGD-CBD	5.86	121.47	111.23
5	M	1303	BCL	C4A-NA-C1A	5.80	109.32	106.68
6	L	1306	U10	C15-C14-C16	5.77	122.92	116.13
6	L	1306	U10	C7-C8-C9	-5.46	117.42	126.83
5	M	1303	BCL	O2D-CGD-CBD	5.15	120.22	111.23
5	M	1303	BCL	O2D-CGD-O1D	-5.10	113.93	123.85
9	M	1304	BPH	C4-C3-C5	5.07	124.02	115.23
5	M	1303	BCL	CED-O2D-CGD	5.05	127.38	115.92
6	L	1306	U10	C6-C1-C2	4.92	123.05	119.17
5	L	1282	BCL	CMB-C2B-C1B	-4.89	117.98	125.42
5	M	1302	BCL	C1-O2A-CGA	4.82	130.37	116.67
6	M	1305	U10	C25-C24-C26	4.81	123.57	115.23
9	M	1284	BPH	C3D-C4D-ND	4.71	113.74	107.71
9	M	1304	BPH	C1B-NB-C4B	-4.68	101.99	108.82
5	L	1283	BCL	C2C-C3C-C4C	4.66	108.32	101.34
5	L	1283	BCL	CMB-C2B-C1B	-4.63	118.36	125.42
9	M	1304	BPH	CMA-C3A-C4A	-4.51	104.90	114.61
5	M	1302	BCL	O2D-CGD-CBD	4.47	119.05	111.23
5	M	1302	BCL	CMB-C2B-C1B	-4.41	118.71	125.42
6	L	1306	U10	C7-C6-C1	-4.35	117.43	124.89
6	L	1306	U10	C1M-C1-C6	-4.34	117.31	124.45
9	M	1304	BPH	CED-O2D-CGD	4.25	125.55	115.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	M	1284	BPH	C1B-NB-C4B	-4.20	102.69	108.82
5	M	1302	BCL	O2A-CGA-CBA	4.16	124.53	111.83
9	M	1304	BPH	C3D-C4D-ND	4.15	113.02	107.71
6	M	1305	U10	C17-C18-C19	-4.14	118.15	127.62
6	M	1305	U10	C15-C14-C16	4.01	122.20	115.23
5	M	1303	BCL	CMC-C2C-C1C	-4.01	101.00	111.77
5	M	1303	BCL	C1C-NC-C4C	3.99	108.50	106.68
5	L	1283	BCL	CAA-C2A-C3A	-3.86	102.58	113.00
5	L	1282	BCL	C2A-C3A-C4A	3.82	108.05	101.87
5	M	1303	BCL	CMC-C2C-C3C	-3.81	99.24	113.98
5	M	1302	BCL	CBB-CAB-C3B	-3.77	112.45	120.40
9	M	1304	BPH	C5-C3-C2	-3.76	112.73	121.17
5	M	1303	BCL	CAC-C3C-C4C	-3.73	104.31	112.58
6	L	1306	U10	C10-C9-C11	3.63	121.53	115.23
5	L	1282	BCL	C1-O2A-CGA	3.63	125.43	116.65
5	L	1283	BCL	C1-O2A-CGA	3.58	125.31	116.65
5	M	1302	BCL	C3A-C2A-C1A	3.57	106.68	101.34
5	L	1282	BCL	C3B-C4B-NB	-3.52	105.12	109.76
5	M	1302	BCL	CAA-C2A-C3A	-3.46	103.66	113.00
5	M	1303	BCL	O2A-CGA-CBA	3.45	122.34	111.83
5	L	1283	BCL	O2A-CGA-CBA	3.36	122.07	111.83
5	L	1282	BCL	CMB-C2B-C3B	3.35	136.23	125.67
6	L	1306	U10	O3-C3-C2	3.35	127.93	116.64
6	L	1306	U10	C3M-O3-C3	3.34	128.20	116.47
5	M	1302	BCL	CMA-C3A-C2A	-3.34	101.09	113.98
5	L	1283	BCL	CMC-C2C-C3C	-3.33	101.10	113.98
5	M	1302	BCL	CMB-C2B-C3B	3.30	136.08	125.67
5	L	1282	BCL	C2C-C3C-C4C	3.30	106.28	101.34
5	M	1302	BCL	CHC-C4B-NB	3.29	128.98	124.05
5	M	1302	BCL	C3B-C4B-NB	-3.28	105.43	109.76
5	L	1282	BCL	CMA-C3A-C2A	-3.26	101.38	113.98
6	L	1306	U10	C7-C6-C5	3.25	122.29	118.52
5	L	1283	BCL	CAA-CBA-CGA	3.25	122.43	113.21
6	M	1305	U10	C35-C34-C33	-3.24	115.30	123.63
9	M	1284	BPH	C1-O2A-CGA	3.21	124.42	116.65
5	L	1282	BCL	C2D-C1D-ND	-3.21	106.95	110.13
9	M	1304	BPH	C3B-C4B-NB	3.19	112.69	108.05
5	M	1302	BCL	O2A-C1-C2	3.16	119.75	108.40
5	L	1283	BCL	CMA-C3A-C2A	-3.14	101.85	113.98
6	M	1305	U10	C36-C34-C33	3.12	128.16	121.17
9	M	1304	BPH	O1D-CGD-CBD	-3.11	120.00	124.72
5	L	1282	BCL	CMA-C3A-C4A	-3.11	103.41	111.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	M	1304	BPH	C1-O2A-CGA	3.06	124.06	116.65
6	L	1306	U10	O3-C3-C4	-3.05	112.09	123.64
9	M	1284	BPH	O2D-CGD-O1D	-3.05	117.91	123.85
5	M	1303	BCL	CMB-C2B-C1B	-3.04	120.79	125.42
6	M	1305	U10	C4M-O4-C4	3.02	127.09	116.47
5	M	1303	BCL	C2B-C1B-NB	-2.99	107.22	110.33
5	M	1303	BCL	C3C-C2C-C1C	2.98	106.69	101.87
5	L	1282	BCL	O2A-CGA-CBA	2.90	120.67	111.83
9	M	1284	BPH	C3B-C4B-NB	2.89	112.26	108.05
5	M	1302	BCL	O1D-CGD-CBD	-2.89	118.82	124.52
5	M	1303	BCL	C2A-C3A-C4A	2.88	106.53	101.87
6	L	1306	U10	O4-C4-C3	-2.87	112.77	123.64
5	L	1283	BCL	C1C-NC-C4C	2.85	107.98	106.68
9	M	1284	BPH	CAA-C2A-C3A	-2.84	105.33	113.00
5	M	1303	BCL	CHA-C1A-NA	-2.83	119.98	126.39
5	L	1282	BCL	CHB-C1B-NB	2.82	128.28	124.05
5	L	1283	BCL	C3D-C4D-ND	2.79	114.52	109.99
5	L	1283	BCL	O2A-CGA-O1A	-2.77	116.69	123.63
5	L	1283	BCL	CMB-C2B-C3B	2.77	134.41	125.67
5	L	1282	BCL	CHA-C1A-NA	-2.76	120.14	126.39
6	M	1305	U10	C3M-O3-C3	2.75	126.13	116.47
5	L	1283	BCL	O1D-CGD-CBD	-2.72	119.15	124.52
9	M	1304	BPH	CMB-C2B-C3B	2.71	130.10	124.68
5	L	1283	BCL	C4-C3-C5	2.71	119.93	115.23
5	M	1302	BCL	C2D-C1D-ND	-2.70	107.45	110.13
6	L	1306	U10	C12-C13-C14	-2.69	121.46	127.62
10	M	1309	CDL	OB5-PB2-OB2	-2.69	99.56	107.91
9	M	1304	BPH	O2A-CGA-O1A	-2.68	116.91	123.63
5	M	1302	BCL	C2A-C1A-CHA	2.67	128.51	123.87
5	M	1303	BCL	C2A-C1A-CHA	2.67	128.50	123.87
5	M	1302	BCL	C3C-C2C-C1C	2.67	106.17	101.87
5	L	1283	BCL	CAC-C3C-C4C	-2.65	106.69	112.58
5	M	1303	BCL	C2D-C1D-ND	-2.65	107.50	110.13
5	L	1282	BCL	CHA-C4D-ND	2.62	137.95	132.55
5	L	1282	BCL	O2D-CGD-CBD	2.61	115.79	111.23
9	M	1284	BPH	CMA-C3A-C4A	-2.61	108.99	114.61
5	L	1282	BCL	C4-C3-C5	2.60	119.75	115.23
5	L	1283	BCL	C1D-ND-C4D	-2.56	104.52	106.31
9	M	1284	BPH	O2A-CGA-CBA	2.55	119.62	111.83
5	L	1282	BCL	C1C-NC-C4C	2.55	107.84	106.68
6	M	1305	U10	C27-C28-C29	-2.53	121.82	127.62
9	M	1284	BPH	CED-O2D-CGD	2.53	121.66	115.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	1306	U10	C15-C14-C13	-2.52	117.15	123.63
9	M	1304	BPH	OBD-CAD-CBD	-2.50	122.16	125.82
5	L	1282	BCL	C2B-C1B-NB	-2.48	107.75	110.33
5	M	1303	BCL	C2C-C3C-C4C	2.48	105.06	101.34
6	M	1305	U10	C1M-C1-C6	-2.47	120.40	124.45
6	M	1305	U10	C16-C14-C13	-2.46	115.64	121.17
5	L	1282	BCL	C4A-NA-C1A	2.45	107.80	106.68
5	M	1303	BCL	CGD-CBD-CAD	-2.45	102.91	110.85
9	M	1284	BPH	C6-C7-C8	-2.44	107.87	115.97
6	M	1305	U10	C30-C29-C31	2.43	119.44	115.23
6	L	1306	U10	C8-C7-C6	2.42	118.04	112.08
10	M	1309	CDL	OA5-PA1-OA3	-2.42	102.41	110.95
6	M	1305	U10	C32-C33-C34	-2.41	122.10	127.62
5	L	1283	BCL	C16-C17-C18	-2.41	105.19	115.94
5	M	1303	BCL	C3B-C4B-NB	-2.38	106.61	109.76
5	L	1282	BCL	O2A-CGA-O1A	-2.36	117.73	123.63
5	L	1283	BCL	C2D-C1D-ND	-2.35	107.80	110.13
10	M	1309	CDL	OA4-PA1-OA2	2.34	115.20	107.91
5	M	1303	BCL	CMB-C2B-C3B	2.34	133.05	125.67
9	M	1284	BPH	C4C-C3C-C2C	-2.34	100.62	102.84
5	M	1302	BCL	O2A-CGA-O1A	-2.33	117.81	123.63
5	M	1303	BCL	CBB-CAB-C3B	-2.31	115.52	120.40
5	L	1283	BCL	O2D-CGD-O1D	-2.31	119.35	123.85
5	L	1283	BCL	C2B-C1B-NB	-2.30	107.94	110.33
5	L	1283	BCL	CHD-C1D-C2D	2.28	130.22	125.49
9	M	1304	BPH	C4A-C3A-C2A	-2.26	100.69	102.84
9	M	1284	BPH	C4-C3-C5	2.24	119.12	115.23
5	L	1282	BCL	C14-C13-C12	2.24	119.27	111.27
5	M	1303	BCL	C1D-CHD-C4C	-2.24	121.21	126.62
9	M	1284	BPH	C1C-C2C-C3C	-2.22	100.73	102.84
5	M	1303	BCL	O2A-CGA-O1A	-2.19	118.14	123.63
9	M	1284	BPH	CBA-CAA-C2A	-2.16	107.41	113.78
9	M	1304	BPH	C3D-CAD-CBD	2.16	110.44	107.61
5	L	1283	BCL	C4D-C3D-CAD	2.15	110.45	108.11
9	M	1284	BPH	CMB-C2B-C3B	2.15	128.98	124.68
9	M	1284	BPH	O2A-CGA-O1A	-2.15	118.25	123.63
5	M	1302	BCL	C3D-C4D-ND	2.15	113.48	109.99
5	L	1283	BCL	C2A-C3A-C4A	2.14	105.33	101.87
6	M	1305	U10	C3-C2-C1	2.12	122.29	118.10
5	L	1283	BCL	C3A-C2A-C1A	2.12	104.51	101.34
6	M	1305	U10	C22-C23-C24	-2.10	122.81	127.62
5	L	1283	BCL	CAA-C2A-C1A	-2.10	105.09	111.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	1305	U10	C7-C8-C9	-2.10	123.21	126.83
5	M	1302	BCL	CHB-C1B-NB	2.10	127.20	124.05
5	M	1303	BCL	CHC-C1C-NC	2.09	127.42	124.40
9	M	1284	BPH	C4A-C3A-C2A	-2.09	100.85	102.84
6	L	1306	U10	O4-C4-C5	2.08	123.66	116.64
5	M	1302	BCL	CHA-C1A-NA	-2.08	121.68	126.39
5	M	1303	BCL	C7-C6-C5	-2.07	107.75	113.26
5	L	1282	BCL	C16-C15-C13	2.05	122.79	115.97
5	L	1283	BCL	C5-C3-C2	-2.05	116.56	121.17
9	M	1304	BPH	O2D-CGD-O1D	-2.04	119.88	123.85
9	M	1284	BPH	OBD-CAD-CBD	-2.04	122.83	125.82
5	L	1282	BCL	CAA-C2A-C3A	-2.03	107.53	113.00
5	L	1283	BCL	CHD-C1D-ND	-2.02	121.95	124.80
5	L	1282	BCL	C11-C12-C13	2.02	122.69	115.97
5	M	1302	BCL	OBG-CAB-C3B	2.02	124.01	120.43
5	M	1303	BCL	C3D-C4D-ND	2.01	113.25	109.99

All (8) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	L	1282	BCL	C13
5	L	1282	BCL	C8
5	L	1283	BCL	C13
5	L	1283	BCL	C8
5	M	1303	BCL	C13
5	M	1303	BCL	C8
9	M	1284	BPH	C8
9	M	1304	BPH	C8

All (74) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	1310	LDA	C2-C1-N1-CM1
4	H	1310	LDA	C2-C1-N1-CM2
5	L	1282	BCL	C14-C13-C15-C16
5	M	1303	BCL	C6-C7-C8-C10
6	L	1306	U10	C7-C8-C9-C10
6	L	1306	U10	C7-C8-C9-C11
6	L	1306	U10	C12-C13-C14-C15
6	L	1306	U10	C12-C13-C14-C16
6	M	1305	U10	C32-C33-C34-C35
6	M	1305	U10	C32-C33-C34-C36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	M	1305	U10	C34-C36-C37-C38
9	M	1304	BPH	C4C-C3C-CAC-CBC
9	M	1304	BPH	C4-C3-C5-C6
9	M	1304	BPH	C2-C3-C5-C6
9	M	1304	BPH	C3-C5-C6-C7
9	M	1284	BPH	C3-C5-C6-C7
6	M	1305	U10	C29-C31-C32-C33
5	L	1283	BCL	CBD-CGD-O2D-CED
5	L	1282	BCL	C11-C12-C13-C14
5	L	1283	BCL	C6-C7-C8-C9
5	L	1282	BCL	C11-C10-C8-C7
9	M	1284	BPH	C11-C10-C8-C7
9	M	1284	BPH	C8-C10-C11-C12
9	M	1304	BPH	C13-C15-C16-C17
9	M	1304	BPH	C15-C16-C17-C18
9	M	1304	BPH	C8-C10-C11-C12
5	L	1282	BCL	C15-C16-C17-C18
9	M	1284	BPH	C5-C6-C7-C8
5	L	1283	BCL	C16-C17-C18-C20
5	L	1283	BCL	C16-C17-C18-C19
4	H	1310	LDA	C6-C7-C8-C9
5	L	1282	BCL	C5-C6-C7-C8
5	L	1282	BCL	C10-C11-C12-C13
9	M	1304	BPH	C2C-C3C-CAC-CBC
6	M	1305	U10	C33-C34-C36-C37
5	L	1283	BCL	C3-C5-C6-C7
5	L	1282	BCL	C13-C15-C16-C17
9	M	1284	BPH	C2-C3-C5-C6
6	M	1305	U10	C35-C34-C36-C37
5	L	1283	BCL	O1D-CGD-O2D-CED
9	M	1284	BPH	C4-C3-C5-C6
9	M	1284	BPH	C11-C10-C8-C9
5	L	1282	BCL	C2A-CAA-CBA-CGA
4	H	1310	LDA	C2-C1-N1-O1
5	L	1283	BCL	CHA-CBD-CGD-O1D
5	L	1283	BCL	CHA-CBD-CGD-O2D
5	L	1282	BCL	C8-C10-C11-C12
9	M	1304	BPH	C12-C13-C15-C16
9	M	1304	BPH	C5-C6-C7-C8
5	L	1283	BCL	C2-C1-O2A-CGA
5	L	1283	BCL	C5-C6-C7-C8
6	M	1305	U10	C30-C29-C31-C32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	L	1306	U10	C15-C14-C16-C17
6	M	1305	U10	C5-C4-O4-C4M
5	L	1282	BCL	C6-C7-C8-C9
9	M	1304	BPH	C6-C7-C8-C9
5	L	1283	BCL	C13-C15-C16-C17
5	L	1282	BCL	C11-C12-C13-C15
6	M	1305	U10	C14-C16-C17-C18
6	L	1306	U10	C5-C4-O4-C4M
5	L	1282	BCL	C16-C17-C18-C20
5	M	1303	BCL	C6-C7-C8-C9
5	M	1303	BCL	C14-C13-C15-C16
9	M	1284	BPH	C11-C12-C13-C14
5	M	1302	BCL	C2-C1-O2A-CGA
9	M	1304	BPH	C11-C10-C8-C9
9	M	1304	BPH	C6-C7-C8-C10
5	M	1303	BCL	CAA-CBA-CGA-O2A
6	M	1305	U10	C28-C29-C31-C32
9	M	1304	BPH	O1D-CGD-O2D-CED
9	M	1284	BPH	C11-C12-C13-C15
9	M	1284	BPH	O2A-C1-C2-C3
9	M	1304	BPH	O2A-C1-C2-C3
9	M	1284	BPH	CAD-CBD-CGD-O2D


There are no ring outliers.

9 monomers are involved in 55 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	M	1303	BCL	9	0
9	M	1284	BPH	7	0
9	M	1304	BPH	11	0
4	H	1310	LDA	3	0
5	L	1283	BCL	4	0
5	M	1302	BCL	3	0
6	L	1306	U10	13	0
6	M	1305	U10	3	0
5	L	1282	BCL	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








Ligand BPH M 1284



Ligand BPH M 1304







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	235/235 (100%)	0.03	3 (1%) 75 73	13, 28, 45, 50	0
2	L	281/281 (100%)	-0.09	15 (5%) 32 29	9, 24, 59, 65	0
3	M	300/300 (100%)	-0.25	6 (2%) 65 62	9, 23, 46, 68	0
All	All	816/816 (100%)	-0.11	24 (2%) 53 50	9, 25, 47, 68	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	59	TRP	4.9
3	M	301	HIS	4.7
2	L	265	TRP	4.3
2	L	269	LEU	4.3
2	L	270	PRO	3.9
2	L	277	GLY	3.8
2	L	281	GLY	3.5
3	M	300	ASN	3.4
2	L	271	TRP	3.0
3	M	2	GLU	3.0
3	M	3	TYR	2.9
2	L	272	TRP	2.7
1	H	244	ALA	2.7
2	L	275	ILE	2.7
2	L	267	VAL	2.6
2	L	279	ILE	2.3
3	M	68	PHE	2.3
2	L	51	TRP	2.3
2	L	266	TRP	2.3
3	M	78	ALA	2.3
1	H	245	ALA	2.2
1	H	220	LYS	2.2
2	L	273	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	L	264	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	U10	L	1306	24/63	0.69	0.22	46,49,55,56	0
4	LDA	H	1310	14/16	0.86	0.12	30,38,42,45	0
5	BCL	M	1302	48/66	0.90	0.08	14,19,27,29	0
5	BCL	M	1303	66/66	0.91	0.09	11,19,38,43	0
5	BCL	L	1282	66/66	0.91	0.09	15,22,28,37	0
5	BCL	L	1283	66/66	0.94	0.07	17,19,32,41	0
6	U10	M	1305	45/63	0.94	0.09	14,25,46,48	0
9	BPH	M	1304	65/65	0.95	0.10	11,19,73,74	0
9	BPH	M	1284	65/65	0.96	0.06	9,15,31,33	0
8	CL	M	1308	1/1	0.98	0.06	38,38,38,38	0
10	CDL	M	1309	10/100	0.98	0.07	15,27,34,36	0
7	FE2	M	1307	1/1	1.00	0.01	14,14,14,14	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around U10 L 1306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 1302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 1303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around BCL L 1282:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL L 1283:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around U10 M 1305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around BPH M 1304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BPH M 1284:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CDL M 1309:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.