



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 03:36 PM UTC

PDB ID : 2OB1 / pdb\_00002ob1  
Title : ppm1 with 1,8-ANS  
Authors : Groves, M.R.  
Deposited on : 2006-12-18  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	<div> <div>2%</div> <div>83%</div> <div>16%</div> <div>.</div> </div>
1	B	319	<div> <div>2%</div> <div>82%</div> <div>16%</div> <div>.</div> </div>
1	C	319	<div> <div>25%</div> <div>80%</div> <div>18%</div> <div>.</div> </div>

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 8781 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Leucine carboxyl methyltransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	319	Total	C	N	O	S	0	10	0
			2604	1663	436	485	20			
1	B	319	Total	C	N	O	S	0	12	0
			2622	1671	439	494	18			
1	C	319	Total	C	N	O	S	0	10	0
			2627	1671	443	493	20			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	385	Total 385	O 385	0	0
3	B	318	Total 318	O 318	0	0
3	C	210	Total 210	O 210	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Leucine carboxyl methyltransferase 1



- Molecule 1: Leucine carboxyl methyltransferase 1



- Molecule 1: Leucine carboxyl methyltransferase 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	110.62Å 110.62Å 161.94Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	83.04 – 1.90 83.04 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (83.04-1.90) 99.6 (83.04-1.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.32 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.2.0003	Depositor
R, $R_{free}$	0.182 , 0.224 (Not available) , 0.347	Depositor DCC
$R_{free}$ test set	6757 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	15.1	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 54.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.146 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.85	EDS
Total number of atoms	8781	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.00% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.89	0/2683	0.98	1/3620 (0.0%)
1	B	0.88	0/2695	0.93	0/3640
1	C	0.77	1/2682 (0.0%)	0.91	0/3620
All	All	0.85	1/8060 (0.0%)	0.94	1/10880 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	50	ILE	CA-CB	5.08	1.60	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	157	THR	N-CA-C	5.38	122.26	110.80

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2604	0	2667	67	0
1	B	2622	0	2667	65	0
1	C	2627	0	2657	60	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
3	A	385	0	0	19	1
3	B	318	0	0	15	1
3	C	210	0	0	7	0
All	All	8781	0	7991	185	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (185) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36:ASP:HB3	3:B:2169:HOH:O	1.43	1.17
1:A:36:ASP:HB3	3:A:2324:HOH:O	1.54	1.07
1:A:179:ILE:HG22	3:A:2355:HOH:O	1.57	1.04
1:C:73:VAL:CG2	3:C:2198:HOH:O	2.05	1.03
1:A:247:MET:HE3	1:A:262:LEU:HD21	1.43	1.01
1:A:71:PHE:CE2	1:A:74[A]:MET:SD	2.58	0.97
1:C:73:VAL:HG21	3:C:2198:HOH:O	1.65	0.90
1:B:179:ILE:HD11	1:B:215:LEU:HA	1.57	0.85
1:B:93:LEU:HD22	1:B:99[A]:VAL:HG11	1.59	0.84
1:C:253:GLU:O	1:C:255:ARG:HD2	1.77	0.84
1:B:76:TYR:HE2	3:B:2299:HOH:O	1.60	0.82
1:A:247:MET:HE3	1:A:262:LEU:CD2	2.11	0.81
1:A:179:ILE:HD11	1:A:218:THR:HG21	1.62	0.80
1:B:25:LEU:HD11	1:B:82[B]:THR:HG21	1.64	0.80
1:C:68:ARG:HD3	3:C:2187:HOH:O	1.82	0.80
1:A:117:GLN:HE22	1:B:36:ASP:H	1.27	0.80
1:C:247:MET:HE2	1:C:262:LEU:HD21	1.63	0.79
1:B:179:ILE:HG12	3:B:2147:HOH:O	1.83	0.79
1:B:25:LEU:CD1	1:B:82[B]:THR:HG21	2.15	0.77
1:A:10:TYR:CD1	3:A:2094:HOH:O	2.38	0.76
1:B:161:PRO:O	3:B:2297:HOH:O	2.04	0.75
1:C:239:PRO:O	1:C:240:ASN:HB2	1.86	0.74
1:C:93:LEU:HD21	1:C:99[B]:VAL:HG21	1.68	0.72
1:B:179:ILE:O	1:B:183:THR:HG23	1.88	0.72
1:A:179:ILE:HD11	1:A:218:THR:CG2	2.19	0.72
1:A:149[A]:SER:OG	3:A:2320:HOH:O	2.08	0.72
1:A:117:GLN:NE2	1:B:36:ASP:H	1.88	0.71

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:ASP:H	1:B:117:GLN:HE22	1.38	0.71
1:C:149[B]:SER:OG	3:C:2185:HOH:O	2.08	0.71
1:A:179:ILE:HD11	1:A:218:THR:CB	2.21	0.70
1:B:101:VAL:HG23	1:B:122:LEU:HD11	1.74	0.69
1:B:76:TYR:OH	3:B:2294:HOH:O	2.10	0.69
1:B:241:ASP:OD2	3:B:2154:HOH:O	2.10	0.69
1:B:93:LEU:CD2	1:B:99[A]:VAL:HG11	2.22	0.69
1:B:322:ILE:HD12	1:B:322:ILE:O	1.93	0.68
1:B:243:PHE:CE2	1:B:247:MET:HE2	2.28	0.68
1:C:161:PRO:HB2	3:C:2188:HOH:O	1.92	0.67
1:C:322:ILE:HD12	1:C:322:ILE:O	1.93	0.67
1:A:27[B]:SER:H	1:A:31:GLN:HE21	1.40	0.67
1:B:221[B]:SER:OG	3:B:2087:HOH:O	2.12	0.67
1:A:11:ASP:HB3	3:A:2285:HOH:O	1.94	0.66
1:A:27[A]:SER:H	1:A:31:GLN:HE21	1.40	0.66
1:B:183:THR:HG21	3:B:2264:HOH:O	1.96	0.66
1:C:322:ILE:HD12	1:C:322:ILE:C	2.21	0.65
1:C:233:PRO:HB2	1:C:247:MET:HE1	1.79	0.65
1:A:71:PHE:CZ	1:A:74[A]:MET:SD	2.91	0.64
1:B:243:PHE:CE2	1:B:247:MET:CE	2.81	0.64
1:B:233:PRO:HB2	1:B:247:MET:HE1	1.80	0.63
1:A:247:MET:CE	1:A:262:LEU:HD21	2.26	0.63
1:A:183:THR:HG21	3:A:2173:HOH:O	1.97	0.62
1:A:10:TYR:HD1	3:A:2094:HOH:O	1.75	0.62
1:A:322:ILE:HD12	1:A:322:ILE:C	2.25	0.62
1:B:243:PHE:HE2	1:B:247:MET:CE	2.13	0.61
1:A:157:THR:HG23	3:A:2321:HOH:O	2.01	0.61
1:A:36:ASP:H	1:B:117:GLN:NE2	1.98	0.61
1:B:315:LYS:NZ	3:B:2262:HOH:O	2.34	0.61
3:A:2217:HOH:O	1:C:68:ARG:CD	2.49	0.60
1:B:247:MET:HE3	1:B:262:LEU:HD21	1.83	0.60
1:A:179:ILE:O	1:A:183:THR:HG23	2.02	0.60
1:B:322:ILE:HD12	1:B:322:ILE:C	2.27	0.59
1:A:27[B]:SER:H	1:A:31:GLN:NE2	2.00	0.59
3:A:2217:HOH:O	1:C:68:ARG:HD3	2.02	0.59
1:C:271:TYR:CE2	1:C:322:ILE:HD11	2.38	0.59
1:A:27[A]:SER:H	1:A:31:GLN:NE2	2.00	0.59
1:B:243:PHE:HE2	1:B:247:MET:HE1	1.68	0.59
1:A:71:PHE:CD2	1:A:74[A]:MET:SD	2.96	0.59
1:A:144:GLU:HG2	1:A:148:ILE:HD12	1.85	0.58
1:B:76:TYR:CE2	3:B:2299:HOH:O	2.46	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:32:ARG:HG2	1:C:32:ARG:O	2.05	0.57
1:B:184:ARG:HG3	3:B:2172:HOH:O	2.05	0.56
1:C:255:ARG:HD2	1:C:255:ARG:H	1.70	0.56
1:C:32:ARG:O	1:C:32:ARG:CG	2.54	0.56
1:A:105:GLY:O	3:A:2112:HOH:O	2.18	0.55
1:A:179:ILE:HD11	1:A:218:THR:HB	1.87	0.54
1:C:64:ASP:O	1:C:68:ARG:HG3	2.08	0.54
1:A:93:LEU:HD22	1:A:99[B]:VAL:HG21	1.90	0.54
1:B:327:GLN:NE2	3:B:2149:HOH:O	2.36	0.53
1:C:252:LYS:HE3	1:C:252:LYS:HA	1.90	0.53
1:A:10:TYR:N	1:A:10:TYR:HD2	2.07	0.53
1:C:27:SER:H	1:C:31:GLN:NE2	2.06	0.53
1:A:117:GLN:HE22	1:B:36:ASP:N	2.03	0.53
1:B:275:TRP:CE2	1:B:324:MET:HE2	2.45	0.52
1:A:27[A]:SER:HG	1:A:79:TYR:HE1	1.55	0.52
1:C:255:ARG:O	1:C:257:LEU:HB2	2.10	0.52
1:B:280:ASN:ND2	3:B:2321:HOH:O	2.43	0.52
1:A:10:TYR:N	1:A:10:TYR:CD2	2.78	0.52
1:C:247:MET:HE3	1:C:259:MET:SD	2.50	0.52
1:A:271:TYR:CE2	1:A:322:ILE:HD11	2.45	0.52
1:B:280:ASN:C	1:B:280:ASN:HD22	2.19	0.51
1:C:129:TYR:CZ	1:C:132[B]:SER:OG	2.63	0.51
1:A:27[A]:SER:OG	1:A:79:TYR:HE1	1.94	0.51
1:C:155:GLU:CD	1:C:155:GLU:H	2.19	0.51
1:A:36:ASP:N	1:B:117:GLN:HE22	2.08	0.51
1:A:327:GLN:NE2	3:A:2209:HOH:O	2.43	0.50
1:B:291:ASN:HA	1:B:299:ARG:NH2	2.27	0.50
1:B:247:MET:HE3	1:B:262:LEU:CD2	2.41	0.50
1:C:149[A]:SER:HB3	3:C:2185:HOH:O	2.10	0.50
1:A:96:ASN:O	1:A:99[A]:VAL:HG23	2.12	0.50
1:C:247:MET:HE2	1:C:262:LEU:CD2	2.36	0.50
1:C:111:ARG:O	1:C:114:PRO:HD2	2.12	0.49
3:A:2217:HOH:O	1:C:68:ARG:HD2	2.12	0.49
1:A:156:ASP:HB3	3:A:2028:HOH:O	2.13	0.49
1:C:93:LEU:CD2	1:C:99[B]:VAL:HG21	2.39	0.49
1:C:141:ARG:O	1:C:147:ARG:HD3	2.11	0.49
1:C:71:PHE:CE2	1:C:74[A]:MET:SD	3.06	0.48
1:B:291:ASN:HA	1:B:299:ARG:HH22	1.78	0.48
1:A:91:GLU:HG2	3:A:2329:HOH:O	2.13	0.48
1:B:10:TYR:HD2	1:B:10:TYR:C	2.22	0.47
1:C:275:TRP:CE2	1:C:324:MET:HE2	2.49	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:15:CYS:SG	1:B:74:MET:HE3	2.55	0.47
1:B:93:LEU:CD2	1:B:99[B]:VAL:HG11	2.44	0.47
1:B:10:TYR:C	1:B:10:TYR:CD2	2.91	0.47
1:C:251:LEU:HD11	1:C:259:MET:HE3	1.96	0.47
1:C:143:SER:HB3	1:C:146:LEU:HD12	1.96	0.47
1:C:207:MET:HE2	1:C:211:GLU:HG3	1.98	0.46
1:C:27:SER:H	1:C:31:GLN:HE21	1.63	0.46
1:A:322:ILE:HD12	1:A:322:ILE:O	2.16	0.46
1:B:275:TRP:CD2	1:B:324:MET:HE2	2.50	0.46
1:C:322:ILE:C	1:C:322:ILE:CD1	2.88	0.46
1:A:209:ASN:ND2	1:A:265:TYR:OH	2.49	0.45
1:A:243:PHE:CE2	1:A:247:MET:CE	2.99	0.45
1:A:70:SER:HA	1:A:74[A]:MET:CE	2.47	0.45
1:A:99[A]:VAL:HG22	1:A:195:PRO:HB2	1.99	0.45
1:A:179:ILE:CG2	3:A:2355:HOH:O	2.37	0.45
1:C:315:LYS:O	1:C:319:THR:HG23	2.16	0.45
1:C:239:PRO:O	1:C:240:ASN:CB	2.59	0.45
1:C:275:TRP:CD2	1:C:324:MET:HE2	2.52	0.45
1:B:263:MET:HE3	1:B:263:MET:HA	1.98	0.45
1:C:207:MET:CE	1:C:211:GLU:HG3	2.47	0.45
1:A:70:SER:HA	1:A:74[A]:MET:HE1	1.99	0.45
1:A:152:LEU:HD23	1:A:166:GLN:HG2	2.00	0.44
1:A:243:PHE:CE2	1:A:247:MET:HE2	2.52	0.44
1:A:128:ASP:HB3	1:A:133:VAL:HG13	2.00	0.44
1:A:71:PHE:CZ	1:A:74[A]:MET:HG3	2.53	0.44
1:B:247:MET:CE	1:B:262:LEU:HD21	2.47	0.44
1:C:105:GLY:HA3	1:C:203:LEU:HD13	1.99	0.44
1:C:71:PHE:CD2	1:C:74[A]:MET:SD	3.11	0.44
1:C:251:LEU:O	1:C:255:ARG:HG2	2.18	0.44
1:B:247:MET:O	1:B:251:LEU:HB2	2.18	0.44
1:C:71:PHE:CE1	1:C:74[A]:MET:HG3	2.53	0.44
1:A:222[B]:LYS:HE2	3:A:2246:HOH:O	2.18	0.44
1:B:284:ASN:ND2	3:B:2316:HOH:O	2.46	0.44
1:B:154:LYS:HE2	3:B:2306:HOH:O	2.18	0.43
1:B:25:LEU:HD11	1:B:82[B]:THR:CG2	2.42	0.43
1:C:65:LYS:HG2	1:C:68:ARG:HH21	1.83	0.43
1:C:109:ASP:OD1	1:C:111:ARG:HG2	2.18	0.43
1:A:71:PHE:CE1	1:A:74[A]:MET:HG3	2.54	0.43
1:B:11:ASP:HB2	1:B:255:ARG:HH21	1.83	0.43
1:C:247:MET:CE	1:C:262:LEU:CD2	2.97	0.43
1:B:13:LEU:O	1:B:17:LEU:HG	2.19	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:LYS:HB2	1:A:16:LYS:HE3	1.81	0.42
1:A:251:LEU:HD11	1:A:259:MET:SD	2.59	0.42
1:B:322:ILE:C	1:B:322:ILE:CD1	2.92	0.42
1:C:192:ARG:HD3	3:C:2132:HOH:O	2.17	0.42
1:B:207:MET:HE2	1:B:211:GLU:HB3	2.01	0.42
1:B:101:VAL:CG2	1:B:122:LEU:HD11	2.46	0.42
1:A:53:LYS:HA	1:A:60:PHE:HB2	2.01	0.42
1:B:10:TYR:CE2	1:B:12:ALA:HB3	2.54	0.42
1:B:56:SER:HB3	1:B:59:ALA:HB3	2.02	0.42
1:C:143:SER:CB	1:C:146:LEU:HD12	2.50	0.42
1:C:14[A]:SER:OG	1:C:63:VAL:HA	2.20	0.42
1:B:25:LEU:HD21	1:B:82[B]:THR:CG2	2.50	0.42
1:C:177:ASN:ND2	1:C:211:GLU:CD	2.78	0.42
1:C:170:LYS:CD	1:C:189:CYS:HB2	2.50	0.41
1:B:280:ASN:ND2	1:B:280:ASN:C	2.78	0.41
1:A:70:SER:HG	1:A:74[A]:MET:HE2	1.83	0.41
1:C:170:LYS:HD2	1:C:189:CYS:HB2	2.01	0.41
1:A:177:ASN:HD21	1:A:207:MET:HG2	1.85	0.41
1:A:179:ILE:CD1	1:A:218:THR:HB	2.50	0.41
1:C:53:LYS:HA	1:C:60:PHE:HB2	2.02	0.41
1:A:68:ARG:NH1	1:C:70:SER:O	2.45	0.41
1:B:10:TYR:HE2	1:B:13:LEU:N	2.19	0.41
1:B:128:ASP:HB3	1:B:133:VAL:HG13	2.03	0.41
1:A:243:PHE:HE2	1:A:247:MET:HE1	1.86	0.41
1:B:101:VAL:HG23	1:B:122:LEU:CD1	2.44	0.41
1:B:216:ILE:HA	1:B:228:TRP:CH2	2.56	0.41
1:B:25:LEU:HA	1:B:26:PRO:C	2.46	0.41
1:C:244:GLY:HA3	1:C:263:MET:SD	2.61	0.41
1:A:101:VAL:HG22	1:A:197:ILE:HB	2.03	0.40
1:A:191:LYS:CE	3:A:2169:HOH:O	2.69	0.40
1:C:255:ARG:O	1:C:256:ASN:C	2.64	0.40
1:A:74[A]:MET:HE1	3:A:2164:HOH:O	2.22	0.40
1:A:99[A]:VAL:HG12	1:A:100:GLN:N	2.36	0.40
1:B:10:TYR:HE2	1:B:13:LEU:H	1.64	0.40
1:C:16:LYS:HB2	1:C:16:LYS:HE3	1.89	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:2280:HOH:O	3:B:2065:HOH:O[3_565]	2.15	0.05

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	327/319 (102%)	321 (98%)	4 (1%)	2 (1%)	21	13
1	B	329/319 (103%)	322 (98%)	6 (2%)	1 (0%)	36	29
1	C	327/319 (102%)	315 (96%)	11 (3%)	1 (0%)	36	29
All	All	983/957 (103%)	958 (98%)	21 (2%)	4 (0%)	30	22

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	256	ASN
1	A	156	ASP
1	B	156	ASP
1	A	157	THR

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	298/288 (104%)	287 (96%)	11 (4%)	30	22
1	B	300/288 (104%)	290 (97%)	10 (3%)	33	26
1	C	298/288 (104%)	289 (97%)	9 (3%)	36	30
All	All	896/864 (104%)	866 (97%)	30 (3%)	34	26

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	TYR
1	A	50	ILE
1	A	147	ARG
1	A	155	GLU
1	A	157	THR
1	A	159	LYS
1	A	179	ILE
1	A	222[A]	LYS
1	A	222[B]	LYS
1	A	256	ASN
1	A	257	LEU
1	B	10	TYR
1	B	111	ARG
1	B	148	ILE
1	B	155	GLU
1	B	159	LYS
1	B	179	ILE
1	B	250	ASN
1	B	251	LEU
1	B	257	LEU
1	B	280	ASN
1	C	11	ASP
1	C	39	LYS
1	C	50	ILE
1	C	160	SER
1	C	185[A]	LEU
1	C	185[B]	LEU
1	C	220	MET
1	C	252	LYS
1	C	255	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	117	GLN
1	A	177	ASN
1	A	209	ASN
1	A	210	ASN
1	A	213	GLN
1	A	248	GLN
1	A	256	ASN
1	A	327	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	117	GLN
1	B	177	ASN
1	B	208	HIS
1	B	209	ASN
1	B	210	ASN
1	B	248	GLN
1	B	256	ASN
1	B	280	ASN
1	C	31	GLN
1	C	75	ASN
1	C	117	GLN
1	C	177	ASN
1	C	209	ASN
1	C	248	GLN
1	C	250	ASN
1	C	306	GLN
1	C	327	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PO4	C	2004	-	4,4,4	1.07	0	6,6,6	1.20	1 (16%)
2	PO4	A	2001	-	4,4,4	0.93	0	6,6,6	0.56	0
2	PO4	B	2003	-	4,4,4	0.68	0	6,6,6	1.15	0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2004	PO4	O4-P-O3	2.00	114.14	107.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	319/319 (100%)	-0.26	5 (1%) 70 74	7, 14, 38, 61	11 (3%)
1	B	319/319 (100%)	0.01	5 (1%) 70 74	5, 16, 42, 62	13 (4%)
1	C	319/319 (100%)	1.40	79 (24%) 2 1	8, 23, 48, 68	10 (3%)
All	All	957/957 (100%)	0.38	89 (9%) 14 15	5, 18, 43, 68	34 (3%)

All (89) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	275	TRP	6.0
1	C	106	CYS	5.7
1	C	173	ALA	5.5
1	C	229	ILE	5.4
1	C	257	LEU	4.9
1	C	228	TRP	4.8
1	C	219	ILE	4.6
1	C	247	MET	3.7
1	C	203	LEU	3.7
1	C	286	MET	3.7
1	C	215	LEU	3.6
1	C	148	ILE	3.5
1	C	85	ILE	3.5
1	C	194	ILE	3.4
1	C	198	VAL	3.4
1	C	264	THR	3.4
1	C	89	ILE	3.3
1	C	176	LEU	3.3
1	C	110	LEU	3.3
1	C	245	ALA	3.2
1	C	251	LEU	3.2
1	C	233	PRO	3.2
1	B	257	LEU	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	237	SER	3.1
1	A	254	SER	3.0
1	C	204	LEU	3.0
1	C	174	CYS	3.0
1	C	164	ILE	2.9
1	C	278	ALA	2.9
1	C	321	TYR	2.9
1	B	246	ILE	2.9
1	C	95	ALA	2.8
1	C	162	PHE	2.8
1	C	172	ALA	2.8
1	C	281	VAL	2.8
1	C	129	TYR	2.7
1	B	251	LEU	2.7
1	C	171	LEU	2.7
1	B	254	SER	2.7
1	C	160	SER	2.7
1	C	103	ASN	2.7
1	C	99[A]	VAL	2.7
1	A	66	ALA	2.6
1	C	199	ILE	2.6
1	C	200	SER	2.6
1	C	244	GLY	2.6
1	C	150	LEU	2.6
1	C	125	VAL	2.6
1	C	295	PRO	2.5
1	C	259	MET	2.5
1	C	127	ILE	2.5
1	C	82	THR	2.4
1	C	158	ALA	2.4
1	C	102	VAL	2.4
1	C	122	LEU	2.4
1	C	138	SER	2.4
1	C	282	ILE	2.4
1	C	120	PRO	2.4
1	C	225	HIS	2.4
1	C	12	ALA	2.4
1	C	189	CYS	2.4
1	A	257	LEU	2.3
1	C	71	PHE	2.3
1	C	234	ILE	2.3
1	C	224	SER	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	201	GLU	2.3
1	C	157	THR	2.3
1	C	319	THR	2.3
1	B	304	SER	2.3
1	C	94	VAL	2.3
1	C	316	VAL	2.3
1	A	255	ARG	2.2
1	C	211	GLU	2.2
1	C	255	ARG	2.2
1	C	93	LEU	2.2
1	C	104	LEU	2.2
1	C	323	LEU	2.2
1	C	206	TYR	2.1
1	C	328	TRP	2.1
1	C	187	ASP	2.1
1	C	10	TYR	2.1
1	A	251	LEU	2.1
1	C	185[A]	LEU	2.1
1	C	322	ILE	2.1
1	C	279	PRO	2.1
1	C	227	LEU	2.1
1	C	274	ARG	2.1
1	C	317[A]	MET	2.0
1	C	324	MET	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	PO4	A	2001	5/5	0.92	0.18	16,18,22,22	0
2	PO4	B	2003	5/5	0.93	0.17	21,26,28,29	0
2	PO4	C	2004	5/5	0.94	0.21	23,24,28,28	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.